
# antibodies -online.com









# Overview

Quantity:	100 μL
Target:	PDE4D
Binding Specificity:	AA 164-213
Reactivity:	Human, Rat, Mouse, Horse, Chicken, Pig, Monkey, Xenopus laevis
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This PDE4D antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunohistochemistry (Paraffinembedded Sections) (IHC (p))

# **Product Details**

Brand:	IHC-plus™
Immunogen:	Synthetic peptide located between aa164-213 of mouse Pde4d (Q01063, NP_035186). Percent identity by BLAST analysis: Human, Gorilla, Gibbon, Monkey, Marmoset, Mouse, Rat, Elephant, Horse, Pig, Zebra finch, Chicken, Lizard, Xenopus (100%), Rabbit, Opossum, Platypus (92%), Stickleback (80%).
	Type of Immunogen: Synthetic peptide
Specificity:	Mouse PDE4D
Predicted Reactivity:	Percent identity by BLAST analysis: Human, Mouse, Rat, Horse, Pig (100%) Rabbit (92%).
Purification:	Immunoaffinity purified


# **Target Details**

metrial
gnaling
r, and HRP
antibody.
20°C for long

term use (up to 1 year)

Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.

# **Images**



### Image 1.





Image 2.



### **Immunohistochemistry**

**Image 3.** Anti-PDE4D antibody IHC of human colon. Immunohistochemistry of formalin-fixed, paraffinembedded tissue after heat-induced antigen retrieval. Antibody dilution 2.5-5 ug/ml. This image was taken for the unconjugated form of this product. Other forms ...