



[Go to Product page](#)

Datasheet for ABIN6749787
anti-STK33 antibody (AA 34-83)

2 Images

Overview

Quantity:	100 µL
Target:	STK33
Binding Specificity:	AA 34-83
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This STK33 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

Product Details

Brand:	IHC-plus™
Immunogen:	Synthetic peptide located between aa34-83 of human STK33 (Q9BYT3, NP_112168). Percent identity by BLAST analysis: Human, Chimpanzee, Orangutan, Gibbon (100%), Monkey, Marmoset (91%). Type of Immunogen: Synthetic peptide
Specificity:	Human STK33
Predicted Reactivity:	Percent identity by BLAST analysis:
Purification:	Immunoaffinity purified

Target Details


Target:	STK33
Alternative Name:	STK33 (STK33 Products)
Background:	Name/Gene ID: STK33 Subfamily: CAMK Unique Family: Protein Kinase Synonyms: STK33, Serine/threonine kinase 33
Gene ID:	65975
NCBI Accession:	NP_112168
UniProt:	Q9BYT3

Application Details

Application Notes:	Approved: IHC, IHC-P (5 - 10 µg/mL), WB
Comment:	Target Species of Antibody: Human
Restrictions:	For Research Use only

Handling

Format:	Lyophilized
Reconstitution:	Distilled water
Concentration:	Lot specific
Buffer:	Lyophilized from PBS with 2 % sucrose
Handling Advice:	Avoid repeat freeze-thaw cycles.
Storage:	4 °C,-20 °C
Storage Comment:	Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long term use (up to 1 year) Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.



Immunohistochemistry

Image 1. Anti-STK33 antibody IHC of human prostate. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody dilution 5-10 ug/ml. This image was taken for the unconjugated form of this product. Other for ...




Image 2.