



[Go to Product page](#)

Datasheet for ABIN6749794
anti-NDUFAF2 antibody (AA 22-71)

2 Images

Overview

Quantity:	100 µL
Target:	NDUFAF2
Binding Specificity:	AA 22-71
Reactivity:	Human, Dog
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This NDUFAF2 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

Product Details

Brand:	IHC-plus™
Immunogen:	Synthetic peptide located between aa22-71 of human NDUFAF2 (Q8N183, NP_777549). Percent identity by BLAST analysis: Human, Chimpanzee, Orangutan, Gibbon, Dog (100%), Monkey, Galago, Mouse, Elephant, Panda, Rabbit, Horse (92%), Marmoset, Bovine (85%), Rat (78%). Type of Immunogen: Synthetic peptide
Specificity:	Human NDUFAF2
Predicted Reactivity:	Percent identity by BLAST analysis:
Purification:	Immunoaffinity purified

Target Details

Target:	NDUFAF2
Alternative Name:	NDUFAF2 / NDUFA12L (NDUFAF2 Products)
Background:	Name/Gene ID: NDUFAF2 Synonyms: NDUFAF2, B17.2-like, B17.2L, Mimitin, mitochondrial, MMTN, NDUFA12-like protein, NDUFA12L, NDUFAF2 , Mimitin, NDUFA12-like
Gene ID:	91942
NCBI Accession:	NP_777549
UniProt:	Q8N183
Pathways:	SARS-CoV-2 Protein Interactome

Application Details

Application Notes:	Approved: IHC, IHC-P (5 - 10 µg/mL), WB
Comment:	Target Species of Antibody: Human
Restrictions:	For Research Use only

Handling

Format:	Lyophilized
Reconstitution:	Distilled water
Concentration:	Lot specific
Buffer:	Lyophilized from PBS with 2 % sucrose
Handling Advice:	Avoid repeat freeze-thaw cycles.
Storage:	4 °C,-20 °C
Storage Comment:	Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long term use (up to 1 year) Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.





Image 1.



Immunohistochemistry

Image 2. Anti-NDUFAF2 / NDUFA12L antibody IHC of human skeletal muscle. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody dilution 5-10 ug/ml. This image was taken for the unconjugated form of thi ...