antibodies - online.com







anti-HDAC7 antibody (AA 57-106)



Image



/ //	10	K / /	OIA.
1 11	$/ \square$	1 \/	$\square \backslash \backslash \backslash \backslash$
\cup	$^{\prime}$	1 V I	iew

Overview		
Quantity:	100 μL	
Target:	HDAC7	
Binding Specificity:	AA 57-106	
Reactivity:	Human, Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This HDAC7 antibody is un-conjugated	
Application:	Western Blotting (WB)	
Product Details		
Immunogen:	Synthetic peptide located between aa57-106 of rat Hdac7. Percent identity by BLAST analysis:	
	Rat (100%).	
	Type of Immunogen: Synthetic peptide	
Specificity:	Rat HDAC7	
Purification:	Immunoaffinity purified	
Target Details		
Target:	HDAC7	
Alternative Name:	HDAC7 (HDAC7 Products)	
Background:	Name/Gene ID: HDAC7	

Target Details


	Family: Histone Deacetylase	
	Synonyms: HDAC7, DKFZP586J0917, HD7, Histone deacetylase 7, Histone deacetylase 7A, HD7A, HDAC7A	
Gene ID:	51564	
Pathways:	Regulation of Muscle Cell Differentiation, Cell-Cell Junction Organization, Skeletal Muscle Fiber Development	

Application Details

Application Notes:	Optimal working dilution should be determined by the investigator.	
Comment:	Target Species of Antibody: Rat	
Restrictions:	For Research Use only	

Handling

Format:	Lyophilized	
Reconstitution:	Distilled water	
Concentration:	Lot specific	
Buffer:	Lyophilized from PBS	
Storage:	4 °C,-20 °C	
Storage Comment:	Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long term use (up to 1 year) Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.	



Host: Rabbit

Target Name: Hdac7

Sample Tissue: Rat Spleen Lysate

Antibody Dilution: 1.0µg/ml

Image 1.