antibodies -online.com





anti-PLEKHO1 antibody (AA 51-170) (Cy5.5)



\sim					
()	VE	۲۱	/1	\triangle	Λ

Quantity:	100 μL
Target:	PLEKH01
Binding Specificity:	AA 51-170
Reactivity:	Human, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This PLEKHO1 antibody is conjugated to Cy5.5
Application:	Western Blotting (WB), Flow Cytometry (FACS), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human CKIP-1	
Isotype:	IgG	
Cross-Reactivity:	Human, Mouse	
Predicted Reactivity:	Rat	
Purification:	Purified by Protein A.	

Target Details

Target:	PLEKH01
Alternative Name:	CKIP-1 (PLEKHO1 Products)

Target Details

Background:	Synonyms: Pleckstrin homology domain-containing family 0 member 1, PH domain-containing			
	family O member 1, C-Jun-binding protein, JBP, Casein kinase 2-interacting protein 1, CK2-			
	interacting protein 1, CKIP-1, Osteoclast maturation-associated gene 120 protein, PLEKHO1,			
	CKIP1, OC120, HQ0024C			
	Background: Plays a role in the regulation of the actin cytoskeleton through its interactions with			
	actin capping protein (CP). May function to target CK2 to the plasma membrane thereby			
	serving as an adapter to facilitate the phosphorylation of CP by protein kinase 2 (CK2). Appears			
	to target ATM to the plasma membrane. Appears to also inhibit tumor cell growth by inhibiting			
	AKT-mediated cell-survival. Also implicated in PI3K-regulated muscle differentiation, the			
	regulation of AP-1 activity (plasma membrane bound AP-1 regulator that translocates to the			
	nucleus) and the promotion of apoptosis induced by tumor necrosis factor TNF. When bound			
	to PKB, it inhibits it probably by decreasing PKB level of phosphorylation.			
Gene ID:	51177			
UniProt:	Q53GL0			
Application Details				
Application Notes:	FCM 1:20-100			
	IF(IHC-P) 1:50-200			
	IF(IHC-F) 1:50-200			
	IF(ICC) 1:50-200			
Restrictions:	For Research Use only			
Handling				
Format:	Liquid			
Concentration:	1 μg/μL			
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and			
	50 % Glycerol.			
Preservative:	ProClin			
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be			
	handled by trained staff only.			
Storage:	-20 °C			
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.			

1 1		- 11		
Н	lan	ıaı	IIn	n

Expiry Date:

12 months