antibodies -online.com





anti-PDCD5 antibody (AA 45-125) (Cy3)



\sim					
()	VE	۲۱	/1	\triangle	Λ

Quantity:	100 μL	
Target:	PDCD5	
Binding Specificity:	AA 45-125	
Reactivity:	Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This PDCD5 antibody is conjugated to Cy3	
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human TFAR19
Isotype:	IgG
Cross-Reactivity:	Rat
Predicted Reactivity:	Human,Mouse,Dog,Cow,Chicken
Purification:	Purified by Protein A.

Target Details

Target:	PDCD5
Alternative Name:	TFAR19/PDCD5 (PDCD5 Products)

Target Details

901 2 0140			
Background:	Synonyms: TF-1 cell apoptsis-related gene 19, Programmed cell death protein 5, TF-1 cell		
	apoptosis-related protein 19, Protein TFAR19, PDCD5.		
	Background: This gene encodes a protein expressed in tumor cells during apoptosis		
	independent of the apoptosis-inducing stimuli. Prior to apoptosis induction, this gene product is		
	distributed in both the nucleus and cytoplasm. Once apoptosis is induced, the level of this		
	protein increases and by relocation from the cytoplasm, it accumulates in the nucleus.		
	Although its exact function is not defined, this protein is thought to play an early and universal		
	role in apoptosis.		
Gene ID:	9141		
Application Details			
Application Notes:	IF(IHC-P) 1:50-200		
	IF(IHC-F) 1:50-200		
	IF(ICC) 1:50-200		
Restrictions:	For Research Use only		
Handling			
Format:	Liquid		
Concentration:	1 μg/μL		
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and		
	50 % Glycerol.		
Preservative:	ProClin		
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be		
	handled by trained staff only.		
Storage:	-20 °C		
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.		
Expiry Date:	12 months		