

Datasheet for ABIN6752996
anti-CLPB antibody (AA 575-624)

2 Images

[Go to Product page](#)

Overview

Quantity:	100 µL
Target:	CLPB
Binding Specificity:	AA 575-624
Reactivity:	Human, Mouse, Rat, Rabbit, Dog, Horse, Pig, Guinea Pig, Bat, Hamster, Monkey, Xenopus laevis
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CLPB antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

Product Details

Brand:	IHC-plus™
Immunogen:	Synthetic peptide located between aa575-624 of human CLPB (Q9H078, NP_110440). Percent identity by BLAST analysis: Human, Chimpanzee, Gorilla, Orangutan, Gibbon, Monkey, Galago, Marmoset, Mouse, Rat, Hamster, Elephant, Panda, Dog, Bat, Rabbit, Horse, Pig, Guinea pig, Platypus, Xenopus (100%), Bovine, Opossum, Zebra finch, Stickleback, Beetle (92%). Type of Immunogen: Synthetic peptide
Isotype:	IgG
Specificity:	Human CLPB
Purification:	Immunoaffinity purified

Target Details


Target:	CLPB
Alternative Name:	CLPB (CLPB Products)
Background:	Name/Gene ID: CLPB Synonyms: CLPB, SKD3, HSP78
Gene ID:	81570
NCBI Accession:	NP_110440

Application Details

Application Notes:	Approved: IHC, IHC-P (20 µg/mL), WB (0.2 - 1 µg/mL) Usage: Western Blot: Suggested dilution at 1 µg/mL in 5 % skim milk / PBS buffer, and HRP conjugated anti-Rabbit IgG should be diluted in 1: 50,000 - 100,000 as second antibody. ELISA titer in peptide based assay: 1:312500.
Comment:	Target Species of Antibody: Human
Restrictions:	For Research Use only


Handling

Format:	Lyophilized
Reconstitution:	Distilled water
Concentration:	Lot specific
Buffer:	Lyophilized from PBS with 2 % sucrose
Handling Advice:	Avoid repeat freeze-thaw cycles.
Storage:	4 °C, -20 °C
Storage Comment:	Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long term use (up to 1 year) Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.



Immunohistochemistry

Image 1. Anti-CLPB antibody IHC staining of human kidney. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody concentration 20 ug/ml. This image was taken for the unconjugated form of this product. ...



Immunohistochemistry

Image 2. Human Kidney: Formalin-Fixed, Paraffin-Embedded (FFPE)