antibodies - online.com







anti-TNK1 antibody (AA 517-566)





()	ve	K\ /		A .
	\cup	1 V/	Щ.	V۷

Quantity:	100 μL	
Target:	TNK1	
Binding Specificity:	AA 517-566	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This TNK1 antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunohistochemistry (Paraffinembedded Sections) (IHC (p))	

Product Details

Brand:	IHC-plus™	
Immunogen:	Synthetic peptide located between aa517-566 of human TNK1 (Q13470, NP_003976). Percent identity by BLAST analysis: Human, Chimpanzee, Gorilla (100%), Orangutan, Gibbon, Monkey, Marmoset (92%), Galago, Pig (84%).	
	Type of Immunogen: Synthetic peptide	
Specificity:	Human TNK1	
Purification:	Immunoaffinity purified	

Target Details


Target:	TNK1
Alternative Name:	TNK1 (TNK1 Products)
Background:	Name/Gene ID: TNK1
	Subfamily: ACK
	Family: Protein Kinase
	Synonyms: TNK1, CD38 negative kinase 1
Gene ID:	8711
NCBI Accession:	NP_003976

Application Details

Application Notes:	Approved: IHC, IHC-P (10 μg/mL), WB
Comment:	Target Species of Antibody: Human
Restrictions:	For Research Use only

Handling

Format:	Lyophilized	
Reconstitution:	Distilled water	
Concentration:	Lot specific	
Buffer:	Lyophilized from PBS with 2 % sucrose	
Handling Advice:	Avoid repeat freeze-thaw cycles.	
Storage:	4 °C,-20 °C	
Storage Comment:	Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long term use (up to 1 year) Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.	



Immunohistochemistry

Image 1. Anti-TNK1 antibody IHC staining of human skeletal muscle. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody concentration 10 ug/ml. This image was taken for the unconjugated form of this ...