.-online.com antibodies

Datasheet for ABIN6755452 anti-TRIB1 antibody (C-Term)

Image



Overview

Quantity:	100 µL
Target:	TRIB1
Binding Specificity:	C-Term
Reactivity:	Human, Mouse, Cow, Horse, Monkey
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This TRIB1 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunohistochemistry (Paraffin- embedded Sections) (IHC (p))


Product Details

Brand:	IHC-plus™
Immunogen:	Synthetic peptide from C-Terminus of human TRIB1 (Q96RU8, NP_079471). Percent identity by
	BLAST analysis: Human, Chimpanzee, Gorilla, Gibbon, Monkey, Galago, Marmoset, Mouse,
	Bovine, Horse (100%), Rat, Elephant, Dog, Bat, Opossum, Guinea pig (92%), Platypus (85%),
	Turkey (84%), Zebra finch (83%).
	Type of Immunogen: Synthetic peptide
Specificity:	Human TRIB1
Purification:	Immunoaffinity purified

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN6755452 | 09/10/2023 | Copyright antibodies-online. All rights reserved.

Target Details	
Target:	TRIB1
Alternative Name:	TRIB1 (TRIB1 Products)
Background:	Name/Gene ID: TRIB1
	Subfamily: C8FW
	Synonyms: TRIB1, GIG-2, TRB1, Tribbles-like protein 1, TRB-1, Tribbles homolog 1, C8FW, GIG2,
	SKIP1
Gene ID:	10221
NCBI Accession:	NP_079471
Pathways:	Smooth Muscle Cell Migration
Application Details	
Application Notes:	Approved: IHC, IHC-P (10 µg/mL), WB (0.2 - 1 µg/mL)
	Usage: Western Blot: Suggested dilution at 1 μ g/mL in 5 % skim milk / PBS buffer, and HRP
	conjugated anti-Rabbit IgG should be diluted in 1: 50,000 - 100,000 as secondary antibody.
Comment:	Target Species of Antibody: Human
Restrictions:	For Research Use only
Handling	
Format:	Lyophilized
Reconstitution:	Distilled water
Concentration:	Lot specific
Buffer:	Lyophilized from PBS with 2 % sucrose
Handling Advice:	Avoid repeat freeze-thaw cycles.
Storage:	4 °C,-20 °C
Storage Comment:	Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long
	term use (up to 1 year) Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.
	Short territ (1655 that i week). 4 C. AVOID HEEZE-thaw Cycles.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN6755452 | 09/10/2023 | Copyright antibodies-online. All rights reserved.



Immunohistochemistry

Image 1. Human Kidney: Formalin-Fixed, Paraffin-Embedded (FFPE). This image was taken for the unconjugated form of this product. Other forms have not been tested.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN6755452 | 09/10/2023 | Copyright antibodies-online. All rights reserved.