antibodies -online.com





anti-ZKSCAN4 antibody





Overview

Quantity:	100 μL
Target:	ZKSCAN4
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ZKSCAN4 antibody is un-conjugated
Application:	Flow Cytometry (FACS), Immunofluorescence (Cultured Cells) (IF (cc))

Product Details


Immunogen:	KLH conjugated synthetic peptide derived from human ZNF307
Isotype:	IgG
Cross-Reactivity:	Human, Mouse, Rat
Purification:	Purified by Protein A.

Target Details

Target:	ZKSCAN4
Alternative Name:	Znf307 (ZKSCAN4 Products)
Background:	Synonyms: zinc finger with KRAB and SCAN domains 4, Zinc finger protein 307, P373c6.1,
	ZKSCAN4, FLJ32136, P1P373C6, p373c6.1 novel C2H2 type zinc finger protein, p373c6.1, Zinc
	finger protein 307, Zinc finger with KRAB and SCAN domains 4, ZKSCAN4, ZKSC4_HUMAN.
	Background: ZNF307 contains 1 SCAN box domain, 1 KRAB domain and 7 C2H2-type zinc

Target Details	
	fingers. It belongs to the Krueppel C2H2-type zinc-finger protein family and may be involved in transcriptional regulation. [SUBCELLULAR LOCATION] Nucleus. Expressed in adult heart, brain, placenta, lung and kidney, but not in adult liver and skeletal muscle. In 17-day old embryo, detected in liver, skeletal muscle, brain, heart and small intestine.
Gene ID:	387032
Application Details	
Application Notes:	WB: 1:100-1000, IHC-P: 1:100-500, IF(IHC-P): 1:50-200 Optimal working dilution should be determined by the investigator.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Ruffer	Aqueous huffered solution containing 1 % RSA 50 % alveerol and 0.09 % sodium azide

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 1 % BSA, 50 % glycerol and 0.09 % sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C for 12 months.
Expiry Date:	12 months



Immunohistochemistry

Image 1. Formalin-fixed and paraffin embedded mouse kidney labeled with Anti ZNF307 Polyclonal Antibody (ABIN675638), Unconjugated at 1:200, followed by conjugation to the secondary antibody and DAB staining