antibodies - online.com







anti-DHODH antibody (AA 35-84)





| \sim | | | | | | | |
|--------|-----|--------|---------------|-----|------------|---|----|
| | 1// | \Box | $r \setminus$ | / [| \bigcirc | 1 | ٨, |

| Quantity: | 100 μL |
|----------------------|---|
| Target: | DHODH |
| Binding Specificity: | AA 35-84 |
| Reactivity: | Human |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This DHODH antibody is un-conjugated |
| Application: | Western Blotting (WB), Immunohistochemistry (IHC), Immunohistochemistry (Paraffinembedded Sections) (IHC (p)) |


Product Details

| Brand: | IHC-plus [™] |
|---------------|--|
| Immunogen: | Synthetic peptide located between aa35-84 of human DHODH (Q02127, NP_001352). Percent identity by BLAST analysis: Human, Chimpanzee, Gorilla, Orangutan, Gibbon, Bat (100%), Monkey, Marmoset, Rabbit (92%), Galago, Mouse, Rat, Hamster, Horse, Guinea pig (85%), Elephant (84%). |
| | Type of Immunogen: Synthetic peptide |
| Isotype: | IgG |
| Specificity: | Human DHODH |
| Purification: | Immunoaffinity purified |

Target Details

| rarget betails | | |
|---------------------|--|--|
| Target: | DHODH | |
| Alternative Name: | DHODH (DHODH Products) | |
| Background: | Name/Gene ID: DHODH | |
| | Synonyms: DHODH, Dihydroorotate dehydrogenase, Dihydroorotate oxidase, Human | |
| | complement of yeast URA1, POADS, URA1, DHOdehase | |
| Gene ID: | 1723 | |
| NCBI Accession: | NP_001352 | |
| Pathways: | Ribonucleoside Biosynthetic Process, Protein targeting to Nucleus | |
| Application Details | | |
| Application Notes: | Approved: IHC, IHC-P (10 μg/mL), WB (0.2 - 1 μg/mL) | |
| | Usage: Western Blot: Suggested dilution at 1 µg/mL in 5 % skim milk / PBS buffer, and HRP | |
| | conjugated anti-Rabbit IgG should be diluted in 1: 50,000 - 100,000 as second antibody. ELISA | |
| | titer in peptide based assay: 1:62500. | |
| Comment: | Target Species of Antibody: Human | |
| Restrictions: | For Research Use only | |
| Handling | | |
| Format: | Lyophilized | |
| Reconstitution: | Distilled water | |
| Concentration: | Lot specific | |
| Buffer: | Lyophilized from PBS with 2 % sucrose | |
| Handling Advice: | Avoid repeat freeze-thaw cycles. | |
| Storage: | 4 °C,-20 °C | |
| Storage Comment: | Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long | |
| | term use (up to 1 year) | |

Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.



Immunohistochemistry (Paraffin-embedded Sections)

Image 1. Human Liver: Formalin-Fixed, Paraffin-Embedded (FFPE). This image was taken for the unconjugated form of this product. Other forms have not been tested.