antibodies.com

## Datasheet for ABIN6756659 anti-VPS52 antibody (AA 467-516)

Image



## Overview

Quantity:	100 µL
Target:	VPS52
Binding Specificity:	AA 467-516
Reactivity:	Human, Mouse, Rat, Cow, Dog, Guinea Pig, Horse, Rabbit, Bat, Monkey, Pig
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This VPS52 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunohistochemistry (Paraffin- embedded Sections) (IHC (p))


## Product Details

Brand:	IHC-plus™
Immunogen:	Synthetic peptide located between aa467-516 of human VPS52 (Q8N1B4, NP_072047). Percent
	identity by BLAST analysis: Human, Chimpanzee, Gorilla, Gibbon, Monkey, Galago, Marmoset,
	Mouse, Rat, Elephant, Panda, Dog, Bovine, Bat, Rabbit, Horse, Pig, Guinea pig (100%), Xenopus,
	Stickleback, Zebrafish (85%).
	Type of Immunogen: Synthetic peptide
Specificity:	Human VPS52
Purification:	Immunoaffinity purified

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN6756659 | 09/10/2023 | Copyright antibodies-online. All rights reserved.

Target Details	
Target:	VPS52
Alternative Name:	VPS52 / SACM2L (VPS52 Products)
Background:	Name/Gene ID: VPS52
	Family: Transporter
	Synonyms: VPS52, ARE1, DJ1033B10.5, SACM2L, RP5-1033B10, SAC2
Gene ID:	6293
NCBI Accession:	NP_072047
Application Details	
Application Notes:	Approved: IHC, IHC-P (10 µg/mL), WB (0.2 - 1 µg/mL)
	Usage: Western Blot: Suggested dilution at 1 µg/mL in 5 % skim milk / PBS buffer, and HRP
	conjugated anti-Rabbit IgG should be diluted in 1: 50,000 - 100,000 as secondary antibody.
Comment:	Target Species of Antibody: Human
Restrictions:	For Research Use only
Handling	
Format:	Lyophilized
Reconstitution:	Distilled water
Concentration:	Lot specific
Buffer:	Lyophilized from PBS with 2 % sucrose
Handling Advice:	Avoid repeat freeze-thaw cycles.
Storage:	4 °C,-20 °C
Storage Comment:	Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long
	term use (up to 1 year)
	Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN6756659 | 09/10/2023 | Copyright antibodies-online. All rights reserved. Images



## Immunohistochemistry (Paraffin-embedded Sections)

**Image 1.** Human Skin: Formalin-Fixed, Paraffin-Embedded (FFPE). This image was taken for the unconjugated form of this product. Other forms have not been tested.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN6756659 | 09/10/2023 | Copyright antibodies-online. All rights reserved.