antibodies - online.com







anti-DLST antibody (AA 340-389)





\sim			
	IV/E	۱//۱۲	$I \cap V$

Quantity:	100 μL
Target:	DLST
Binding Specificity:	AA 340-389
Reactivity:	Human, Mouse, Rat, Rabbit, Cow, Dog, Guinea Pig, Horse, Monkey, Xenopus laevis, Bat, Chicken, Pig
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This DLST antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunohistochemistry (Paraffinembedded Sections) (IHC (p))

Product Details

Brand:	IHC-plus [™]
Immunogen:	Synthetic peptide located between aa340-389 of human DLST (P36957, NP_001924). Percent
	identity by BLAST analysis: Human, Chimpanzee, Gorilla, Gibbon, Monkey, Galago, Marmoset,
	Mouse, Rat, Elephant, Panda, Dog, Bovine, Bat, Rabbit, Horse, Pig, Opossum, Guinea pig, Turkey,
	Zebra finch, Chicken, Platypus, Lizard, Xenopus (100%), Zebrafish (92%), Pufferfish (85%).
	Type of Immunogen: Synthetic peptide
Specificity:	Human DLST
Purification:	Immunoaffinity purified

Target Details


Target:	DLST
Alternative Name:	DLST (DLST Products)
Background:	Name/Gene ID: DLST
	Synonyms: DLST, DLTS, E2K, OGDC-E2
Gene ID:	1743
NCBI Accession:	NP_001924

Application Details

Application Notes:	Approved: IHC, IHC-P (5 μg/mL), WB
Comment:	Target Species of Antibody: Human
Restrictions:	For Research Use only

Handling

Format:	Lyophilized
Reconstitution:	Distilled water
Concentration:	Lot specific
Buffer:	Lyophilized from PBS with 2 % sucrose
Handling Advice:	Avoid repeat freeze-thaw cycles.
Storage:	4 °C,-20 °C
Storage Comment:	Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long term use (up to 1 year) Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.



Immunohistochemistry (Paraffin-embedded Sections)

Image 1. Human Heart: Formalin-Fixed, Paraffin-Embedded (FFPE). This image was taken for the unconjugated form of this product. Other forms have not been tested.