antibodies -online.com





Datasheet for ABIN677804

anti-RNF126 antibody (AA 51-150) (Cy7)



Go to Product page

\sim	
()\/\	rview
\circ	1 4 1 4 4

Quantity:	100 μL	
Target:	RNF126	
Binding Specificity:	AA 51-150	
Reactivity:	Human, Mouse	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This RNF126 antibody is conjugated to Cy7	
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human RNF126	
Isotype:	IgG	
Cross-Reactivity:	Human, Mouse	
Predicted Reactivity:	Rat,Cow	
Purification:	Purified by Protein A.	

Target Details

Target:	RNF126
Alternative Name:	Rnf126 (RNF126 Products)

Target Details

Background:	Synonyms: E3 ubiquitin-protein ligase RNF126, RING finger protein 126, RNF126				
	Background: E3 ubiquitin-protein ligase that regulates several biological processes through				
	ubiquitination of various target proteins. Depending on the associated E2 ligase, mediates 'Lys-				
	48'- and 'Lys-63'-linked polyubiquitination of substrates. Through their polyubiquitination, may				
	play a role in the endosomal sorting and degradation of several membrane receptors including				
	EGFR, FLT3, MET and CXCR4. May also be part of a BAG6-dependent quality control process				
	ensuring that proteins of the secretory pathway that are mislocalized to the cytosol are degraded by the proteasome. May provide the ubiquitin ligase activity associated with the BAG6				
	complex and be responsible for ubiquitination of the mislocalized proteins and their targeting to				
	the proteasome (PubMed:24981174). May also play a role in the endosomal recycling of IGF2R,				
	the cation-independent mannose-6-phosphate receptor (PubMed:24275455). By ubiquitinating				
	CDKN1A/p21 and targeting it for degradation, may also promote cell proliferation				
	(PubMed:23026136). May monoubiquitinate AICDA (PubMed:23277564).				
Gene ID:	55658				
UniProt:	Q9BV68				
Application Details					
Application Notes:	IF(IHC-P) 1:50-200				
	IF(IHC-F) 1:50-200				
	IF(ICC) 1:50-200				
Restrictions:	For Research Use only				
Handling					
Format:	Liquid				
Concentration:	1 μg/μL				
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and				
	50 % Glycerol.				
Preservative:	ProClin				
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be				
	handled by trained staff only.				
Storage:	-20 °C				
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.				

1 1		- 11		
Н	lan	ıaı	IIn	n

Expiry Date:

12 months