antibodies -online.com





Datasheet for ABIN679570

anti-DGAT1 antibody (AA 251-350) (Biotin)



Overview

Quantity:	100 μL
Target:	DGAT1
Binding Specificity:	AA 251-350
Reactivity:	Human, Mouse, Rat, Dog
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This DGAT1 antibody is conjugated to Biotin
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human DGAT1
Isotype:	IgG
Cross-Reactivity:	Dog, Human, Mouse, Rat
Predicted Reactivity:	Pig,Horse
Purification:	Purified by Protein A.

Target Details

- Target Details	
Target:	DGAT1
Alternative Name:	DGAT1/Diglyceride acyltransferase (DGAT1 Products)

Target Details

Background:	Synonyms: ARAT, DGAT, ARGP1, DIAR7, Diacylglycerol O-acyltransferase 1, ACAT-related gene
	product 1, Acyl-CoA retinol O-fatty-acyltransferase, Retinol O-fatty-acyltransferase, Diglyceride
	acyltransferase, DGAT1, AGRP1
	Background: Catalyzes the terminal and only committed step in triacylglycerol synthesis by
	using diacylglycerol and fatty acyl CoA as substrates. In contrast to DGAT2 it is not essential
	for survival. May be involved in VLDL (very low density lipoprotein) assembly. In liver, plays a
	role in esterifying exogenous fatty acids to glycerol. Functions as the major acyl-CoA retinol
	acyltransferase (ARAT) in the skin, where it acts to maintain retinoid homeostasis and prevent
	retinoid toxicity leading to skin and hair disorders.
Gene ID:	8694
UniProt:	075907
Pathways:	Hormone Transport
Application Details	
Application Notes:	WB 1:300-5000
	IHC-P 1:200-400
	IHC-F 1:100-500
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and
	50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be
	handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C for 12 months.
Expiry Date:	12 months