antibodies - online.com







anti-CD44v7 antibody (AA 201-300)



Image



_					
U	V	er	V	Ie	W

Quantity:	100 μL
Target:	CD44v7
Binding Specificity:	AA 201-300
Reactivity:	Human, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CD44v7 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), ELISA

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human CD44v7	
Isotype:	IgG	
Specificity:	This antibody will detect isoform 7 exclusively.	
Cross-Reactivity:	Human, Mouse	
Purification:	Purified by Protein A.	

Target Details

Target:	CD44v7
Abstract:	CD44v7 Products
Background:	Synonyms: IN, LHR, MC56, MDU2, MDU3, MIC4, Pgp1, CDW44, CSPG8, HCELL, HUTCH-I, ECMR-

III, CD44 antigen, Epican, Extracellular matrix receptor III, GP90 lymphocyte homing/adhesion
receptor, Heparan sulfate proteoglycan, Hermes antigen, Hyaluronate receptor, Phagocytic
glycoprotein 1, PGP-1, Phagocytic glycoprotein I, PGP-I, CD44

Background: Receptor for hyaluronic acid (HA). Mediates cell-cell and cell-matrix interactions through its affinity for HA, and possibly also through its affinity for other ligands such as osteopontin, collagens, and matrix metalloproteinases (MMPs). Adhesion with HA plays an important role in cell migration, tumor growth and progression. In cancer cells, may play an important role in invadopodia formation. Also involved in lymphocyte activation, recirculation and homing, and in hematopoiesis. Altered expression or dysfunction causes numerous pathogenic phenotypes. Great protein heterogeneity due to numerous alternative splicing and post-translational modification events.

Gene ID:

960

UniProt:

P16070

Application Details

Application Notes:

WB 1:300-5000

ELISA 1:500-1000


IHC-P 1:200-400

Restrictions:

For Research Use only

Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.
Expiry Date:	12 months



Immunohistochemistry

Image 1. Formalin-fixed and paraffin embedded human endometrial cancer labeled with Anti-CD44v7 Polyclonal Antibody, Unconjugated (ABIN680578) at 1:200 followed by conjugation to the secondary antibody and DAB staining