antibodies - online.com







anti-RGS5 antibody (AA 81-181)



Image



\sim						
	1//	Д	r۱	1	Θ 1	٨

Quantity:	100 μL
Target:	RGS5
Binding Specificity:	AA 81-181
Reactivity:	Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This RGS5 antibody is un-conjugated
Application:	ELISA, Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffinembedded Sections) (IF (p)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from mouse RGS5	
Isotype:	IgG	
Specificity:	This antibody may have a minor secondary cross-reactivity to the related proteins RGS3 and RGS4 based on a 67 % and 73 % non-sequential sequence similarity, respectively.	
Cross-Reactivity:	Mouse, Rat	
Predicted Reactivity:	Human,Dog,Pig,Rabbit	
Purification:	Purified by Protein A.	

Target Details


Target:	RGS5
Alternative Name:	RGS5 (RGS5 Products)
Background:	Synonyms: 1110070A02Rik, Regulator of G-protein signaling 5, RGS5 Background: Inhibits signal transduction by increasing the GTPase activity of G protein alpha subunits thereby driving them into their inactive GDP-bound form. Binds to G(i)-alpha and G(o)-alpha, but not to G(s)-alpha.
Gene ID:	19737
UniProt:	008850
Pathways:	Myometrial Relaxation and Contraction, Regulation of G-Protein Coupled Receptor Protein Signaling

Application Details

Application Notes:	ELISA 1:500-1000
	IHC-P 1:200-400
	IHC-F 1:100-500
	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.
Expiry Date:	12 months



Immunohistochemistry

Image 1. Formalin-fixed and paraffin embedded rat brain labeled with Anti-RGS5 Polyclonal Antibody, Unconjugated (ABIN680803) at 1:200 followed by conjugation to the secondary antibody and DAB staining