

Datasheet for ABIN6809852

CD137 Protein (AA 29-191) (His tag)



[Go to Product page](#)

2 Images

Overview

Quantity:	100 µg
Target:	CD137 (TNFRSF9)
Protein Characteristics:	AA 29-191
Origin:	Rabbit
Source:	HEK-293 Cells
Protein Type:	Recombinant
Biological Activity:	Active
Purification tag / Conjugate:	This CD137 protein is labelled with His tag.

Product Details

Purity:	>90 % as determined by SDS-PAGE.
Endotoxin Level:	Less than 1.0 EU per µg by the LAL method.

Target Details

Target:	CD137 (TNFRSF9)
Alternative Name:	4-1BB (TNFRSF9 Products)
Background:	4-1BB is also known as CD137, tumor necrosis factor receptor superfamily member 9 (TNFRSF9), induced by lymphocyte activation (ILA), is a co-stimulatory molecule of the tumor necrosis factor (TNF) receptor superfamily. CD137 can be expressed by activated T cells, but to a larger extent on CD8 than on CD4 T cells. In addition, CD137 expression is found on dendritic cells, follicular dendritic cells, natural killer cells, granulocytes and cells of blood vessel walls at

Target Details

sites of inflammation. The best characterized activity of CD137 is its costimulatory activity for activated T cells. Crosslinking of CD137 enhances T cell proliferation, IL-2 secretion survival and cytolytic activity. Further, it can enhance immune activity to eliminate tumors in mice. CD137 can enhance activation-induced T cell apoptosis when triggered by engagement of the TCR/CD3 complex. In addition, 4-1BB/4-1BBL co-stimulatory pathway has been shown to augment secondary CTL responses to several viruses, and meanwhile augment anti-tumor immunity. 4-1BB thus is a promising candidate for immunotherapy of human cancer. CD137 has been shown to interact with TRAF2.

Molecular Weight:	18.8 kDa
NCBI Accession:	XP_008264195
Pathways:	Cancer Immune Checkpoints


Application Details

Restrictions:	For Research Use only
---------------	-----------------------

Handling


Format:	Lyophilized
Buffer:	PBS, pH 7.4
Storage:	-20 °C

Images



ELISA

Image 1. Immobilized Human 4-1BB Ligand, Fc Tag (ABIN2870602,ABIN2870603) at 2 µg/mL (100 µL/well) can bind Rabbit 4-1BB, His Tag (ABIN6731240,ABIN6809852) with a linear range of 1-39 ng/mL (QC tested).



SDS-PAGE

Image 2. Rabbit 4-1BB, His Tag on under reducing (R) condition. The gel was stained overnight with Coomassie Blue. The purity of the protein is greater than 90 % .