

Datasheet for ABIN6809903

ErbB2/Her2 Protein (AA 23-652)[Go to Product page](#)[2 Images](#)[2 Publications](#)

Overview

Quantity:	50 µg
Target:	ErbB2/Her2
Protein Characteristics:	AA 23-652
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Biological Activity:	Active

Product Details

Sequence:	AA 23-652
Purity:	>95 % as determined by SDS-PAGE.
Endotoxin Level:	Less than 1.0 EU per µg by the LAL method.

Target Details

Target:	ErbB2/Her2
Alternative Name:	Her2 (ErbB2/Her2 Products)
Background:	Human Epidermal growth factor Receptor 2 (HER2) is also called ERBB2, HER-2,HER-2 /neu, NEU, NGL,TKR1 and c-erb B2,and is a protein giving higher aggressiveness in breast cancers. It is a member of the ErbB protein family, more commonly known as the epidermal growth factor receptor family. HER2 is a cell membrane surface-bound receptor tyrosine kinase and is normally involved in the signal transduction pathways leading to cell growth and differentiation.

Target Details

HER2 is thought to be an orphan receptor, with none of the EGF family of ligands able to activate it. Approximately 30 % of breast cancers have an amplification of the HER2 gene or overexpression of its protein product. Overexpression of this receptor in breast cancer is associated with increased disease recurrence and worse prognosis. HER2 appears to play roles in development, cancer, communication at the neuromuscular junction and regulation of cell growth and differentiation .

Molecular Weight: 70.1 kDa

NCBI Accession: [NP_004439](#)

Pathways: [RTK Signaling](#), [Fc-epsilon Receptor Signaling Pathway](#), [EGFR Signaling Pathway](#), [Neurotrophin Signaling Pathway](#), [Skeletal Muscle Fiber Development](#)

Application Details

Restrictions: For Research Use only

Handling

Format: Lyophilized

Buffer: PBS, pH 7.4



Handling Advice: Please avoid repeated freeze-thaw cycles.

Storage: -20 °C

Publications

Product cited in: Turner, Kilgour, Stine, Daniele, Menegatti: "Dual-Affinity Ratiometric Quenching (DARQ) Assay for the Quantification of Therapeutic Antibodies in CHO-S Cell Culture Fluids." in: **Analytical chemistry**, Vol. 92, Issue 24, pp. 16274-16283, (2020) ([PubMed](#)).

Hutterer, Polozova, Kuhns, McBride, Cao, Liu: "Assessing Analytical and Functional Similarity of Proposed Amgen Biosimilar ABP 980 to Trastuzumab." in: **BioDrugs : clinical immunotherapeutics, biopharmaceuticals and gene therapy**, Vol. 33, Issue 3, pp. 321-333, (2019) ([PubMed](#)).



ELISA

Image 1. Immobilized Human Her2, Tag Free (ABIN6731310,ABIN6809903) at 1 µg/mL (100 µL/well) can bind Trastuzumab with a linear range of 0.2-2 ng/mL (QC tested).

SDS-PAGE

Image 2. Human Her2, Tag Free on under reducing (R) condition. The gel was stained overnight with Coomassie Blue. The purity of the protein is greater than 95 % .