

## Datasheet for ABIN6810022

# ERBB3 Protein (AA 20-643) (Strep Tag)

2 Images



#### Go to Product page

$\sim$			
( )\//	erv	$\square \square \square$	
$\cup$	_I V	$I \subset V \setminus$	

Overview	
Quantity:	1 mg
Target:	ERBB3
Protein Characteristics:	AA 20-643
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This ERBB3 protein is labelled with Strep Tag.
Product Details	
Sequence:	AA 20-643

Sequence:	AA 20-643
Characteristics:	This protein carries a twin strep tag at the C-terminus. The protein has a calculated MW of 71.7 kDa. The protein migrates as 100-110 kDa under reducing (R) condition (SDS-PAGE) due to glycosylation.
Purity:	>95 % as determined by SDS-PAGE.
Sterility:	0.22 μm filtered
Endotoxin Level:	Less than 1.0 EU per μg by the LAL method.

# Target Details

Target:	ERBB3
Alternative Name:	ErbB3 (ERBB3 Products)

#### Target Details

ErbB3,also known as Her3 (human epidermal growth factor receptor 3), is a member of the epidermal growth factor receptor (EGFR) family of receptor tyrosine kinases. This membrane-bound glycoprotein has a neuregulin binding domain but has not an active kinase domain. It therefore can bind the ligand but cannot mediate the intracellular signal transduction through protein phosphorylation. However, it does form heterodimers with ErbB2 or other EGFR members responsible for tyrosine phosphorylation to give a receptor complex and initiate the related pathway, which lead to cell proliferation or differentiation. Overexpression of this protein has been reported in numerous cancers, including prostate, bladder, and breast tumors. This protein has different isoforms derived from alternative splicing variants, and among which, the secreted isoform lacking the intermembrane region modulates the activity of membrane-bound form.

Molecular Weight:

71.7 kDa

NCBI Accession:

NP\_001973

Pathways:

RTK Signaling, Fc-epsilon Receptor Signaling Pathway, EGFR Signaling Pathway, Neurotrophin Signaling Pathway


## **Application Details**


Restrictions:

For Research Use only

### Handling

Format:	Lyophilized
Buffer:	PBS, pH 7.4
Handling Advice:	Please avoid repeated freeze-thaw cycles.
Storage:	-20 °C
Storage Comment:	No activity loss was observed after storage at: In lyophilized state for 1 year (4 °C), After reconstitution under sterile conditions for 3 months (-70 °C).





#### **ELISA**

**Image 1.** Immobilized Human ErbB3, Strep Tag (ABIN2181041,ABIN2181040,ABIN6810022) at  $2 \mu g/mL$  (100  $\mu L/well$ ) can bind Human NRG1 Beta 1, Fc Tag (ABIN6973185) with a linear range of 0.5-8 ng/mL (QC tested).

#### **SDS-PAGE**

**Image 2.** Human ErbB3, Strep Tag on SDS-PAGE under reducing (R) condition. The gel was stained overnight with Coomassie Blue. The purity of the protein is greater than 95%.