# antibodies - online.com







# anti-PDLIM3 antibody (AA 301-364) (Cy5.5)



( )	11/	IN	/ie	A .
	/ // <del> </del>	۱ ات	/   (−	' \/\/

Quantity:	100 μL	
Target:	PDLIM3	
Binding Specificity:	AA 301-364	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This PDLIM3 antibody is conjugated to Cy5.5	
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	

### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human PDLIM3	
Isotype:	IgG	
Predicted Reactivity: Human, Mouse, Rat, Dog, Cow, Pig, Horse, Rabbit		
Purification:	Purified by Protein A.	

# **Target Details**

Target:	PDLIM3	
Alternative Name:	PDLIM3 (PDLIM3 Products)	
Background:	ground: Synonyms: Actinin associated LIM protein, Actinin-associated LIM protein, Alpha actinin 2	

associated LIM protein, Alpha-actinin-2-associated LIM protein, DKFZp686L0362, Enig	gma
homolog, PDLI3_HUMAN, PDLIM 3, PDLIM-3, PDLIM3, ALP, PDZ and LIM domain 3, PI	DZ and
LIM domain protein 3.	

Background: The protein encoded by this gene contains a PDZ domain and a LIM domain, indicating that it may be involved in cytoskeletal assembly. In support of this, the encoded protein has been shown to bind the spectrin-like repeats of alpha-actinin-2 and to colocalize with alpha-actinin-2 at the Z lines of skeletal muscle. Alternatively spliced transcript variants encoding multiple isoforms have been observed for this gene. Aberrant alternative splicing of this gene may play a role in myotonic dystrophy.

Gene ID: 27295

UniProt: Q53GG5

### **Application Details**

Application Notes: IF(IHC-P) 1:50-200
IF(IHC-F) 1:50-200

IF(ICC) 1:50-200

Restrictions: For Research Use only

## Handling

Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	
Expiry Date:	12 months	