antibodies .- online.com





Datasheet for ABIN682288

anti-KCNJ1 antibody (AA 301-391)

Overview 100 μL Quantity: Target: KCNJ1 Binding Specificity: AA 301-391 Reactivity: Rat Host: Rabbit Clonality: Polyclonal Conjugate: This KCNJ1 antibody is un-conjugated Application: ELISA, Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffinembedded Sections) (IF (p)), Flow Cytometry (FACS), Immunohistochemistry (Paraffinembedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human ROM-K/KCNJ1
Isotype:	IgG
Cross-Reactivity:	Rat
Predicted Reactivity:	Human,Mouse,Dog,Cow,Pig,Horse,Rabbit
Purification:	Purified by Protein A.

Target Details

Target:	KCNJ1

Target Details

Alternative Name:	ROM-K (KCNJ1 Products)
Background:	Synonyms: ROM K, ROM-K, inwardly rectying subfamily J member 1, ATP regulated potassium
	channel ROM K, ATP sensitive inward rectier potassium channel 1, ATP-regulated potassium
	channel ROM-K, ATP-sensitive inward rectier potassium channel 1, Inward rectier K+ channel
	Kir1.1, inwardly rectying K+ channel, IRK1_HUMAN, KCNJ 1, KCNJ, Kcnj1, Kir 1.1, Kir1.1,
	Potassium channel, Potassium channel inwardly rectying subfamily J member 1, potassium
	inwardly-rectying channel J1, ROMK 1, ROMK 2, ROMK, ROMK1, ROMK2.
	Background: Potassium channels are present in most mammalian cells, where they participate
	in a wide range of physiologic responses. The protein encoded by this gene is an integral
	membrane protein and inward-rectifier type potassium channel. It is activated by internal ATP
	and probably plays an important role in potassium homeostasis. The encoded protein has a
	greater tendency to allow potassium to flow into a cell rather than out of a cell. Mutations in
	this gene have been associated with antenatal Bartter syndrome, which is characterized by sal
	wasting, hypokalemic alkalosis, hypercalciuria, and low blood pressure. Multiple transcript
	variants encoding different isoforms have been found for this gene. [provided by RefSeq, Jul
	2008].
Gene ID:	3758
Application Details	
Application Notes:	ELISA 1:500-1000
	FCM 1:20-100
	IHC-P 1:200-400
	IHC-F 1:100-500
	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin

Handling

Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.
Expiry Date:	12 months