antibodies -online.com







anti-RBBP6 antibody (AA 2-150)

Images



Overview

Quantity:	100 μL
Target:	RBBP6
Binding Specificity:	AA 2-150
Reactivity:	Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This RBBP6 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human P2PR
Isotype:	IgG
Cross-Reactivity:	Mouse, Rat
Predicted Reactivity:	Human
Purification:	Purified by Protein A.

Target Details


Target Details

Alternative Name:	RBBP6/P2P-R (RBBP6 Products)
Background:	Synonyms: PACT, MY038, P2P-R, RBQ-1, SNAMA, E3 ubiquitin-protein ligase RBBP6,
	Proliferation potential-related protein, Protein P2P-R, Retinoblastoma-binding Q protein 1,
	Retinoblastoma-binding protein 6, p53-associated cellular protein of testis, RBBP6, P2PR, RBQ
	Background: E3 ubiquitin-protein ligase which promotes ubiquitination of YBX1, leading to its
	degradation by the proteasome. May play a role as a scaffold protein to promote the assembly
	of the p53/TP53-MDM2 complex, resulting in increase of MDM2-mediated ubiquitination and
	degradation of p53/TP53, may function as negative regulator of p53/TP53, leading to both
	apoptosis and cell growth.
Gene ID:	5930
UniProt:	Q7Z6E9
Pathways:	Regulatory RNA Pathways
Application Details	
Application Notes:	WB 1:300-5000
	ELISA 1:500-1000
	IHC-P 1:200-400
	IHC-F 1:100-500
	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be
	handled by trained staff only.
Storage:	4 °C,-20 °C

Handling


Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.
Expiry Date:	12 months

Images



Immunohistochemistry

Image 1. Formalin-fixed and paraffin embedded rat kidney labeled with Anti RBBP6/P2P-R Polyclonal Antibody, Unconjugated (ABIN687202) at 1:200 followed by conjugation to the secondary antibody and DAB staining



Immunohistochemistry

Image 2. Formalin-fixed and paraffin embedded rat testis tissue labeled with Anti RBBP6/P2P-R Polyclonal Antibody, Unconjugated (ABIN687202) at 1:200 followed by conjugation to the secondary antibody and DAB staining