antibodies .- online.com







anti-Attractin antibody (AA 751-850) (FITC)



()	11/0	K\ /	iew	1
	\cup	ועוי	$\square \vee \vee$	ı

Quantity:	100 μL
Target:	Attractin (ATRN)
Binding Specificity:	AA 751-850
Reactivity:	Human, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Attractin antibody is conjugated to FITC
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human ATRN	
Isotype:	IgG	
Cross-Reactivity:	Human, Mouse	
Predicted Reactivity:	Rat,Dog,Pig,Rabbit	
Purification:	Purified by Protein A.	

Target Details

Target:	Attractin (ATRN)
Alternative Name:	Atrn (ATRN Products)

Target Details

Back	kgrou	ınd:
Daoi	NGI O	aiia.

Synonyms: ATRN, attractin-2, DPPT-L, KIAA0548, Mahogany homolog, mahogany protein, MGCA.

Background: Attractin is a serum glycoprotein of 175 kDaand found in both membrane-bound and secreted forms as a result of alternative splicing. Both the secreted and membrane-bound forms of attractin may be involved in the development and maintenance of the central nervous system. Membrane-bound attractin is a co-receptor for Agouti, antagonist of melanocortin-1 receptor. Secreted attractin, expressed by activated T lymphocytes and modulates interactions between T cells and monocytes/macrophages, was examined as a potential marker of immune activity. Attractinmay be a component of a pathway for regulated protein turnover that also involves mahogunin, a wide-expressed E3 ubiquitinligase found at particularly high levels in the brain. Attractinwas considered as an extracellular target amenable for the development of obesity-regulating drugs, also.

Gene ID:

8455

Application Details

Application Notes:

IF(IHC-P) 1:50-200

IF(IHC-F) 1:50-200

IF(ICC) 1:50-200

Restrictions:

For Research Use only

Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months