

Datasheet for ABIN6932977 anti-VPS35 antibody (PerCP)

7 Images



Go to Product page

Overview

Quantity:	100 μg
Target:	VPS35
Reactivity:	Human
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This VPS35 antibody is conjugated to PerCP
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunofluorescence (IF), Immunocytochemistry (ICC)

Product Details


Target:

Immunogen:	Full length recombinant human VSP35
Clone:	8A3
Isotype:	lgG1
Specificity:	Ubiquitous. Highly expressed in brain, colon, heart, kidney, ovary, placenta, skeletal muscle, small intestine, testis, thymus.,Detects ~92 kDa.
Cross-Reactivity:	Human, Mouse, Rat
Purification:	Protein G Purified
Target Details	

VPS35


Target Details

rarget Details	
Alternative Name:	VPS35 (VPS35 Products)
Background:	Vacuolar Protein Sorter-35 (VPS35) is a component of the retromer complex, which is essential for endosome-to-Golgi retrieval of membrane proteins. VPS35 mutations such as D620N have been linked to Parkinson's Disease (PD) (1,2) and affect retromer function, protein homeostasis, and mitochondria (3).
Gene ID:	55737
NCBI Accession:	NP_060676
UniProt:	Q96QK1
Application Details	
Application Notes:	 WB (1:1000) ICC/IF (1:200) IP (1:200) optimal dilutions for assays should be determined by the user. optimal dilutions for assays should be determined by the user.
Comment:	A 1:1000 dilution of ABIN6932977 was sufficient for detection of VPS35 in 10 µg of SH-SY5Y by ECL immunoblot analysis using Goat Anti-Mouse IgG:HRP as the secondary antibody.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 mg/mL
Buffer:	PBS pH 7.4, 50 % glycerol, 0.09 % Sodium azide, Storage buffer may change when conjugated
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C
Storage Comment:	Conjugated antibodies should be stored at 4°C




Western Blotting

Image 1. Western Blot analysis of Human SH-SY5Y showing detection of VPS35 protein using Mouse Anti-VPS35 Monoclonal Antibody, Clone 8A3 (ABIN6932977). Lane 1: Molecular Weight Ladder. Lane 2: SH-SY5Y (10 µg). Load: 10 µg. Block: 5 % Skim Milk powder in TBST. Primary Antibody: Mouse Anti-VPS35 Monoclonal Antibody (ABIN6932977) at 1:1000 for 2 hours at RT with shaking. Secondary Antibody: Goat anti-mouse IgG:HRP at 1:4000 for 1 hour at RT with shaking. Color Development: Chemiluminescent for HRP (Moss) for 5 min in RT.



Immunohistochemistry

Image 2. Immunohistochemistry analysis using Mouse Anti-VPS35 Monoclonal Antibody, Clone 8A3 (ABIN6932977). Tissue: Kidney. Species: Mouse. Primary Antibody: Mouse Anti-VPS35 Monoclonal Antibody (ABIN6932977) at 1:100 for Overnight at 4C, then 30 min at 37C. Secondary Antibody: Goat Anti-Mouse IgG (H+L): FITC for 45 min at 37C. Counterstain: DAPI for 3 min at RT. Magnification: 20X.



Immunoprecipitation

Image 3. Immunoprecipitation analysis using Mouse Anti-VPS35 Monoclonal Antibody, Clone 8A3 (ABIN6932977). Tissue: A549 cells. Species: Human. Primary Antibody: Mouse Anti-VPS35 Monoclonal Antibody (ABIN6932977). 500 μ L cell culture supernatants were incubated with 10 μ L of Protein A/G resin beads for 1 hour at 4 °C. ABIN6932977 clone 8A3 depletes VPS35 from the A549 cell extract..

Please check the product details page for more images. Overall 7 images are available for ABIN6932977.