

Datasheet for ABIN6936511 anti-Flagellin antibody



Overview

Overview	
Quantity:	100 µg
Target:	Flagellin (FliC)
Reactivity:	Borrelia burgdorferi
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This Flagellin antibody is un-conjugated
Application:	ELISA, Immunofluorescence (IF), Coating (Coat)
Product Details	
Immunogen:	A crude sonicate of Borrelia spirochetes
Clone:	6802
Isotype:	IgG2a kappa
Specificity:	This MAb recognizes Borrelia burgdorferi, and is specific for the p41 flagellar antigen (Flagellin). Borrelia burgdorferi is a species of bacteria of the spirochete class of the genus Borrelia. B. Lyme disease is a vector-borne, multisystem inflammatory disease caused by the spirochete Borrelia burgdorferi, which is transmitted to humans by the bite of ticks of the Ixodes ricinus complex. B. burgdorferi is divided into at least 11 species including Borrelia burgdorferi sensu stricto. B. burgdorferi sensu stricto resides in the cerebrospinal fluid of mammals in Europe and the United States and is most often associated with Lyme arthritis. 'B. burgdorferi sensu stricto commonly undergoes genome-wide genetic exchange, including plasmid transfers. This frequent recombination implies a potential for rapid adaptive evolution as well as a possible polygenic basis of B. burgdorferi sensu stricto pathogenicity.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/2 | Product datasheet for ABIN6936511 | 07/25/2024 | Copyright antibodies-online. All rights reserved.

Product Details	
Purification:	Purified by Protein A/G
Target Details	
Target:	Flagellin (FliC)
Alternative Name:	Borrelia burgdorferi (p41 Flagellin) (FliC Products)
Molecular Weight:	41kDa
Pathways:	Inflammasome
Application Details	
Application Notes:	Positive Control: Borrelia burgdorferi extract or infected cells. Tissue. Known Application: ELISA (For coating use Ab at 1-5 µg/mL, order Ab without BSA),Immunofluorescence (1-2 µg/mL), Optimal dilution for a specific application should be determined.
Restrictions:	For Research Use only
Handling	
Buffer:	10 mM PBS without BSA and without Azide.
Preservative:	Azide free
Storage:	4 °C,-80 °C
Storage Comment:	Antibody with azide - store at 2 to 8°C. Antibody without azide - store at -20 to -80°C. Antibody is stable for 24 months.
Expiry Date:	24 months