

Datasheet for ABIN6936749

anti-CD5 antibody



Overview

Quantity:	100 μg
Target:	CD5
Reactivity:	Human
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This CD5 antibody is un-conjugated
Application:	Flow Cytometry (FACS), Immunofluorescence (IF), Immunoprecipitation (IP), Functional Studies (Func)

Product Details

Immunogen:	Stimulated human leukocytes
Clone:	CRIS-1
Isotype:	IgG2a kappa
Specificity:	Recognizes a 67 kDa transmembrane protein, which is identified as CD5 (HLDA I, WS Code T
	29HLDA III, WS Code T 530). The CD5 antigen is found on 95 $\%$ of thymocytes and 72 $\%$ of
	peripheral blood lymphocytes. In lymph nodes, the main reactivity is observed in T cell areas.
	Anti-CD5 is a pan T-cell marker that also reacts with a range of neoplastic B-cells, e.g. chronic
	lymphocytic leukemia/small lymphocytic lymphoma (CLL/SLL), mantle cell lymphoma, and a
	subset (\sim 10 %) of diffuse large B-cell lymphoma. CD5 aberrant expression is useful in making a
	diagnosis of mature T-cell neoplasms.
Cross-Reactivity (Details):	Human. Rhesus Monkey.

Product Details Purification: 1.0mg/ml of Ab purified from Bioreactor by Protein A/G. Target Details CD5 Target: Alternative Name CD5 (CD5 Products) Background: CD5 antigen (p56 62), LEU1, Ly12, LyA, Lymphocyte antigen T1/Leu-1, Lymphocyte glycoprotein T1/Leu1, T-cell surface glycoprotein CD5,CD5 (Mantle Cell Lymphoma Marker) Cellular localisation: Cell surface 67kDa Molecular Weight: Gene ID: 921, 58685 UniProt: P06127 **Application Details** Application Notes: Known_Application: Flow Cytometry (1-2 µg/million cells), Immunofluorescence (1-2 µg/mL), Functional Studies (Order Ab without BSA & Azide), Immunoprecipitation (0.5-1 µg/500 µg protein lysate), Optimal dilution for a specific application should be determined. Positive_Control: 293T, Ramos or MOLT-4 cells. Tonsil. Restrictions: For Research Use only Handling Concentration: 1.0 mg/mL Buffer: Prepared in 10 mM PBS, WITHOUT BSA and Azide. Preservative: Azide free -20 °C,-80 °C Storage: Storage Comment: Antibody without azide store at -20 to -80 °C. Antibody is stable for 24 months. Non-hazardous.

24 months

Expiry Date: