

## Datasheet for ABIN6937403

## Recombinant anti-HLA-DPB1 antibody



## Overview

| Quantity:                   | 100 μg   |
|-----------------------------|--|
| Target:                     | HLA-DPB1   |
| Reactivity:                 | Human  |
| Host:                       | Rabbit   |
| Antibody Type:              | Recombinant Antibody   |
| Clonality:                  | Monoclonal   |
| Conjugate:                  | This HLA-DPB1 antibody is un-conjugated  |
| Application:                | ELISA, Flow Cytometry (FACS), Immunofluorescence (IF), Coating (Coat)  |
| Product Details             |  |
| Immunogen:                  | Non-T, non-B human acute lymphoblastic leukemia REH6 cell line   |
| Clone:                      | HLA-DPB1-2862R   |
| Isotype:                    | IgG  |
| O                           |  |
| Specificity:                | Recognizes a non-polymorphic determinant of DP-MHC class II. MHC class II antigens are transmembrane glycoproteins of non-covalently linked alpha (33-35 kDa) and beta (27-30 kDa) chains. It reportedly reacts with B- non-T, non-B cell lines but not with T- and myeloid cell lines and leukemias. Differential expression of MHC class II antigens on fetal and adult lymphocytes, malignant B cells appears to reflect the stage of cell differentiation which may be useful in the study of lymphoproliferative disorders. |
| Cross-Reactivity (Details): | transmembrane glycoproteins of non-covalently linked alpha (33-35 kDa) and beta (27-30 kDa) chains. It reportedly reacts with B- non-T, non-B cell lines but not with T- and myeloid cell lines and leukemias. Differential expression of MHC class II antigens on fetal and adult lymphocytes, malignant B cells appears to reflect the stage of cell differentiation which may be useful in the  |

## **Target Details**

| rarget betails      |  |
|---------------------|--|
| Target:             | HLA-DPB1   |
| Alternative Name:   | HLA-DPB1 (HLA-DPB1 Products)   |
| Background:         | HLA class II histocompatibility antigen DP alpha 1 chain, HLA DP1A, HLA SB alpha chain,        |
|                     | HLADP, HLADPA1, HLASB, HLASB histocompatibility type, Human MHC class II HLA SB alpha,         |
|                     | Major histocompatibility complex class II DP alpha 1, MHC class II DP3 alpha, MHC class II     |
|                     | DPA1, PLT1, Primed lymphocyte test 1,HLA-DP (MHC II)   |
|                     | Cellular localisation: Cell Surface  |
| Molecular Weight:   | 33-35kDa   |
| Gene ID:            | 3115, 347270   |
| UniProt:            | P04440   |
| Pathways:           | TCR Signaling, Cancer Immune Checkpoints, Human Leukocyte Antigen (HLA) in Adaptive            |
|                     | Immune Response  |
| Application Details |  |
| Application Notes:  | Known_Application: ELISA (For coating use Ab at 2-4 µg/mL, order Ab without BSA),Flow          |
|                     | Cytometry (1-2 µg/million cells),Immunofluorescence (1-2 µg/mL), Optimal dilution for a        |
|                     | specific application should be determined.   |
|                     | Positive_Control: Raji cells. Tonsil or lymph node.  |
| Restrictions:       | For Research Use only  |
| Handling            |  |
| Concentration:      | 1.0 mg/mL  |
| Buffer:             | Prepared in 10 mM PBS, WITHOUT BSA and Azide.  |
| Preservative:       | Azide free   |
| Storage:            | -20 °C,-80 °C  |
| Storage Comment:    | Antibody without azide store at -20 to -80 °C. Antibody is stable for 24 months. Non-hazardous |
| Expiry Date:        | 24 months  |
|                     |  |