# antibodies -online.com





# ICOSLG Protein (AA 47-279) (His tag)

2 Images



Go to Product page

#### Overview

Quantity:	100 μg
Target:	ICOSLG
Protein Characteristics:	AA 47-279
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Biological Activity:	Active
Purification tag / Conjugate:	This ICOSLG protein is labelled with His tag.

# **Product Details**

Purity:	>90 % as determined by SDS-PAGE.
Endotoxin Level:	Less than 1.0 EU per μg by the LAL method.

# **Target Details**

Target:	ICOSLG
Alternative Name:	B7-H2 (ICOSLG Products)
Background:	ICOS ligand (ICOSLG) is also known as B7 homolog 2 (B7-H2), B7-related protein 1 (B7RP-1)
	and CD antigen CD275, which belongs to the immunoglobulin superfamily and BTN/MOG
	family. ICOSLG contains one Ig-like C2-type (immunoglobulin-like) domain and one Ig-like V-
	type (immunoglobulin-like) domain. Isoform 1 is widely expressed, while isoform 2 is detected
	only in lymph nodes, leukocytes and spleen. B7-H2 is ligand for the T-cell-specific cell surface

receptor ICOS. B7-H2 acts as a costimulatory signal for T-cell proliferation and cytokine secretion and induces also B-cell proliferation and differentiation into plasma cells. B7-H2 could play an important role in mediating local tissue responses to inflammatory conditions, as well as in modulating the secondary immune response by co-stimulating memory T-cell function.

Molecular Weight:	28.2 kDa
NCBI Accession:	NP_056605

Pathways: Production of Molecular Mediator of Immune Response, Activated T Cell Proliferation


# **Application Details**

Restrictions: For Research Use only

# Handling


Format:	Lyophilized	
Buffer:	PBS, pH 7.4	
Storage:	-20 °C	

#### **Images**



# **ELISA**

**Immobilized** Mouse B7-H2, **Image** 1. His Tag (ABIN6923171,ABIN6938858) at 1  $\mu$ g/mL (100  $\mu$ L/well) can **ICOS** (C137S, C138S), bind Mouse Tag (ABIN6923173,ABIN6938860) with a linear range of 1-78 ng/mL (QC tested).



# **SDS-PAGE**

Image 2. Mouse B7-H2, His Tag on under reducing (R) condition. The gel was stained overnight with Coomassie Blue. The purity of the protein is greater than 90 %.