

Datasheet for ABIN6938868

Glypican 3 Protein (GPC3) (AA 25-559) (Fc Tag)

2 Images



Go to Product page

Overview

Quantity:	100 μg
Target:	Glypican 3 (GPC3)
Protein Characteristics:	AA 25-559
Origin:	Cynomolgus
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This Glypican 3 protein is labelled with Fc Tag.

Product Details

Sequence:	AA 25-559
Purity:	>90 % as determined by SDS-PAGE.
Endotoxin Level:	Less than 0.01 EU per μg by the LAL method.

Target Details

Target:	Glypican 3 (GPC3)
Alternative Name:	Glypican 3 (GPC3 Products)
Background:	Glypican-3 (GPC3) is also known as Intestinal protein OCI-5, GTR2-2, MXR7, which belongs to
	the glypican family. Glypican 3 / GPC-3 is highly expressed in lung, liver and kidney. Glypican-3
	inhibits the dipeptidyl peptidase activity of DPP4. Glypican-3 may be involved in the
	suppression/modulation of growth in the predominantly mesodermal tissues and organs, and
	also may play a role in the modulation of IGF2 interactions with its receptor and thereby

Target Details

	modulate its function.
Molecular Weight:	38.1 kDa and 50.5 kDa
NCBI Accession:	XP_005594665
Pathways:	Glycosaminoglycan Metabolic Process


Application Details

Restrictions: For Research Use only

Handling


Format:	Lyophilized
Buffer:	Tris with Glycine, Arginine and NaCl, pH 7.5
Handling Advice:	Please avoid repeated freeze-thaw cycles.
Storage:	-20 °C

Images



ELISA

Image 1. Immobilized Human FGF basic, Tag Free (ABIN2444057,ABIN2180650,ABIN2180649) at $1 \mu g/mL$ (100 $\mu L/well$) can bind Cynomolgus Glypican 3, Llama IgG2b Fc Tag, low endotoxin (ABIN6810032,ABIN6938868) with a linear range of 1-63 ng/mL (QC tested).



SDS-PAGE

Image 2. Cynomolgus Glypican 3, Llama IgG2b Fc Tag, low endotoxin on under reducing (R) condition. The gel was stained overnight with Coomassie Blue. The purity of the protein is greater than 90 %.