

Datasheet for ABIN6939155
anti-ADRP antibody (AA 249-376)[Go to Product page](#)

4 Images

Overview

Quantity:	100 µg
Target:	ADRP (PLIN2)
Binding Specificity:	AA 249-376
Reactivity:	Human
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This ADRP antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Coating (Coat), Flow Cytometry (FACS)

Product Details

Immunogen:	Recombinant fragment (around aa 249-376) of human Adipophilin (ADFP) protein (exact sequence is proprietary)
Clone:	ADFP-1365
Isotype:	IgG1 kappa
Specificity:	Recognizes a protein of 48 kDa, which is identified as Adipophilin. It belongs to the perilipin family, members of which coat intracellular lipid storage droplets. This protein is associated with the lipid globule surface membrane material, and maybe involved in development and maintenance of adipose tissue. However, it is not restricted to adipocytes as previously thought, but is found in a wide range of cultured cell lines, including fibroblasts, endothelial and epithelial cells, and tissues, such as lactating mammary gland, adrenal cortex, Sertoli and Leydig cells, and hepatocytes in alcoholic liver cirrhosis, suggesting that it may serve as a

Product Details

marker of lipid accumulation in diverse cell types and diseases.

Purification: Purified by Protein A/G

Target Details

Target: ADRP (PLIN2)

Alternative Name: PLIN2 ([PLIN2 Products](#))

Molecular Weight: 48kDa

Gene ID: 123

UniProt: [Q99541](#)

Pathways: [Regulation of Lipid Metabolism by PPARalpha](#), [Lipid Metabolism](#)

Application Details

Application Notes: Positive Control: HepG2 or JAR cells. Liver, Adrenal gland or Cerebellum.
Known Application: ELISA (For coating, order Ab without BSA), Flow Cytometry (0.5-1 µg/million cells), Western Blot (1-2 µg/mL) Optimal dilution for a specific application should be determined.

Restrictions: For Research Use only

Handling

Concentration: 200 µg/mL

Buffer: 10 mM PBS with 0.05 % BSA & 0.05 % azide.


Preservative: Sodium azide

Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: 4 °C, -80 °C


Storage Comment: Antibody with azide - store at 2 to 8°C. Antibody without azide - store at -20 to -80°C. Antibody is stable for 24 months. Non-hazardous. No MSDS required.

Expiry Date: 24 months




Western Blotting

Image 1. Western Blot of recombinant Adipophilin and Jurkat cell lysate using Adipophilin Mouse Monoclonal Antibody (ADFP/1365).



Protein Array

Image 2. Analysis of Protein Array containing more than 19,000 full-length human proteins using Adipophilin Mouse Monoclonal Antibody (ADFP/1365). Z- and S- Score: The Z-score represents the strength of a signal that a monoclonal antibody (MAb) (in combination with a fluorescently-tagged anti-IgG secondary antibody) produces when binding to a particular protein on the HuProt™ array. Z-scores are described in units of standard deviations (SD's) above the mean value of all signals generated on that array. If targets on HuProt™ are arranged in descending order of the Z-score, the S-score is the difference (also in units of SD's) between the Z-score. S-score therefore represents the relative target specificity of a MAb to its intended target. A MAb is considered to specific to its intended target, if the MAb has an S-score of at least 2.5. For example, if a MAb binds to protein X with a Z-score of 43 and to protein Y with a Z-score of 14, then the S-score for the binding of that MAb to protein X is equal to 29.



Flow Cytometry

Image 3. Flow Cytometry of human Adipophilin on PBMC. Green: Isotype Control; Red: Adipophilin Monoclonal Antibody (ADFP/1365).

Please check the [product details page](#) for more images. Overall 4 images are available for ABIN6939155.