antibodies - online.com







Recombinant anti-Filaggrin antibody (AA 198-288)






-						
	\/		r١	/1	0	۱۸/
\sim	V	$\overline{}$	1 V	١,	\sim	VΥ

Overview			
Quantity:	100 μg		
Target:	Filaggrin (FLG)		
Binding Specificity:	AA 198-288		
Reactivity:	Human		
Host:	Rabbit		
Antibody Type:	Recombinant Antibody		
Clonality:	Monoclonal		
Conjugate:	This Filaggrin antibody is un-conjugated		
Application:	Immunohistochemistry (IHC), Immunostaining (ISt), Staining Methods (StM)		
Product Details			
Immunogen:	Recombinant human Filaggrin protein fragment (around aa 198-288) (exact sequence is		
	proprietary)		
Clone:	FLG-1957R		
Isotype:	IgG		
Purification:	Purified by Protein A/G		
Target Details			
Target:	Filaggrin (FLG)		


Target Details

Background:	Filaggrin is an intermediate filament-associated protein that aggregates keratin intermediate			
	filaments in mammalian epidermis. It is initially synthesized as a polyprotein precursor,			
	profilaggrin (consisting of multiple filaggrin units of 324 aa each), which is localized in			
	keratohyalin granules, and is subsequently proteolytically processed into individual functional			
	filaggrin molecules. Active filaggrin is present at a level of the epidermis where keratinocytes are			
	in transition between the live nucleated granular layer and the anucleate cornified layer,			
	suggesting that filaggrin aids in the terminal differentiation process by facilitating apoptotic			
	machinery.			
Molecular Weight:	26-45kDa (Processed), 350kDa (Profilaggrin)			
Gene ID:	2312			
UniProt:	P20930			
Pathways:	Sensory Perception of Sound, Stem Cell Maintenance			
Application Details				
Application Notes:	Positive Control: U-251-MG cells. Skin.			
	Known Application: Immunohistochemistry (Formalin-fixed) (0.5-1 μ g/mL for 30 minutes at			
	RT)(Staining of formalin-fixed tissues is enhanced by boiling tissue sections in 10 mM Citrate			
	Buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 minutes)Optimal dilution for a			
	specific application should be determined.			
Restrictions:	For Research Use only			
Handling				
Concentration:	200 μg/mL			
Buffer:	10 mM PBS with 0.05 % BSA & 0.05 % azide.			
Preservative:	Sodium azide			
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which			
	should be handled by trained staff only.			
Storage:	4 °C,-80 °C			
Storage Comment:	Antibody with azide - store at 2 to 8°C. Antibody without azide - store at -20 to -80°C. Antibody			
	is stable for 24 months. Non-hazardous. No MSDS required.			
Expiry Date:	24 months			



SDS-PAGE

Image 1. SDS-PAGE Analysis Purified Filaggrin Rabbit Recombinant Monoclonal Antibody (FLG/1957R). Confirmation of Purity and Integrity of Antibody.



Immunohistochemistry

Image 2. Formalin-fixed, paraffin-embedded human Skin stained with Filaggrin Rabbit Recombinant Monoclonal Antibody (FLG/1957R).