antibodies -online.com





anti-Annexin a1 antibody





Go to Product page

Overview

Quantity:	100 μg
Target:	Annexin a1 (ANXA1)
Reactivity:	Human
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This Annexin a1 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Staining Methods (StM)

Product Details

Immunogen:	Recombinant full-length human Annexin A1 protein
Clone:	CPTC-ANXA1-1
Isotype:	IgG2a kappa
Purification:	Purified by Protein A/G

Target Details

Target:	Annexin a1 (ANXA1)
Alternative Name:	ANXA1 (ANXA1 Products)
Background:	The ANXA1 gene belongs to the annexin family, and contains 4 annexin repeats. A pair of annexin repeats may form one binding site for calcium and a phospholipid. ANXA1 promotes
	membrane fusion and is involved in exocytosis. The gene for ANXA1 is upregulated in hairy cell

	leukemia (HCL), and its protein expression is specific for HCL. Detection of ANXA1 provides a simple, highly sensitive and specific assay for diagnosing HCL. Annexin A1 has also been found to be protective against DNA damage induced by heat in breast cancer cells, suggesting it is involved in tumor suppressive and protective activities, and also is associated with treatment resistance.
Molecular Weight:	38kDa
Gene ID:	301
UniProt:	P04083

Application Details

Pathways:

Application Notes:	Positive Control: A549, A431 and K562 cell lysates, human esophagus, placenta and prostate

tissues.


Hormone Transport

Known Application: Immunoprecipitation (2-4 μ g/mg protein), Western Blot (1-2 μ g/mL), ,Immunohistochemistry (Formalin-fixed) (1-2 μ g/mL for 30 min at RT),(Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM Citrate Buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 minutes),Optimal dilution for a specific application should be determined.

Restrictions: For Research Use only


Handling

Concentration:	200 μg/mL
Buffer:	10 mM PBS with 0.05 % BSA & 0.05 % azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-80 °C
Storage Comment:	Antibody with azide - store at 2 to 8°C. Antibody without azide - store at -20 to -80°C. Antibody is stable for 24 months. Non-hazardous. No MSDS required.
Expiry Date:	24 months




Western Blotting

Image 1. Western Blot Analysis of human A549 cell lysate using Annexin A1 Mouse Monoclonal Antibody (CPTC-ANXA1-1).



Immunohistochemistry

Image 2. Formalin-fixed, paraffin-embedded human Colon Carcinoma stained with Annexin A1 Mouse Monoclonal Antibody (CPTC-ANXA1-1).



Immunohistochemistry

Image 3. Formalin-fixed, paraffin-embedded human Placenta stained with Annexin A1 Mouse Monoclonal Antibody (CPTC-ANXA1-1).

Please check the product details page for more images. Overall 4 images are available for ABIN6939605.