antibodies -online.com





Recombinant anti-IGHM antibody



Images



Go to Product page

\sim	
()\/\Di	view
	VICVV

Quantity:	100 μg
Target:	IGHM
Reactivity:	Human
Host:	Rabbit
Antibody Type:	Recombinant Antibody
Clonality:	Monoclonal
Conjugate:	This IGHM antibody is un-conjugated
Application:	Immunohistochemistry (IHC), Staining Methods (StM), Immunostaining (ISt)

Product Details

Immunogen:

Clone:	IGHM-3776R
Isotype:	IgG
Specificity:	Recognizes a protein of 75 kDa, identified as mu heavy chain of human immunoglobulins. It
	does not cross-react with alpha (IgA), gamma (IgG), epsilon (IgE), or delta (IgD), heavy chains,
	T-cells, monocytes, granulocytes, or erythrocytes. This MAb is useful in the identification of
	leukemias, plasmacytomas, and certain non-Hodgkin s lymphomas. The most common feature
	of these malignancies is the restricted expression of a single heavy chain class. Demonstration
	of clonality in lymphoid infiltrates indicates that the infiltrate is clonal and therefore malignant.
Purification:	Purified by Protein A/G


Recombinant full-length human IGHM protein

Target Details

Target:	IGHM
Alternative Name:	IGHM (IGHM Products)
Molecular Weight:	50-75kDa
Gene ID:	3507
UniProt:	P01871, P20769


Application Details	
Application Notes:	Positive Control: 293T, Raji or hPBL cells. Human tonsil or spleen (IHC). Known Application: Immunohistochemistry (Formalin-fixed) (0.5-1.0 µg/mL for 30 minutes at RT)(Staining of formalin-fixed tissues is enhanced by boiling tissue sections in 10 mM Tris with 1 mM EDTA, pH 9.0 for 10-20 min followed by cooling at RT for 20 minutes)Optimal dilution for
Restrictions:	a specific application should be determined. For Research Use only
Handling	

Concentration:	200 μg/mL
Buffer:	10 mM PBS with 0.05 % BSA & 0.05 % azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-80 °C
Storage Comment:	Antibody with azide - store at 2 to 8°C. Antibody without azide - store at -20 to -80°C. Antibody is stable for 24 months. Non-hazardous. No MSDS required.
Expiry Date:	24 months




SDS-PAGE

Image 1. SDS-PAGE Analysis Purified IgM Recombinant Rabbit Monoclonal Antibody (IGHM/3776R). Confirmation of Integrity and Purity of Antibody.



Immunohistochemistry

Image 2. Formalin-fixed, paraffin-embedded human spleen stained with IgM Recombinant Rabbit Monoclonal Antibody (IGHM/3776R).



Immunohistochemistry

Image 3. Formalin-fixed, paraffin-embedded human spleen stained with IgM Recombinant Rabbit Monoclonal Antibody (IGHM/3776R).