

Datasheet for ABIN6939828

Recombinant anti-Integrin beta 3 antibody (AA 385-490)





Overview

Quantity:	100 μg
Target:	Integrin beta 3 (ITGB3)
Binding Specificity:	AA 385-490
Reactivity:	Human
Host:	Mouse
Antibody Type:	Recombinant Antibody
Clonality:	Monoclonal
Conjugate:	This Integrin beta 3 antibody is un-conjugated
Application:	Immunohistochemistry (IHC), Staining Methods (StM)

Product Details

Immunogen:

Clone:	RITGB3-2145
Isotype:	IgG1 kappa
Specificity:	Reacts with human integrin beta3 (GPIIIa, vitronectin receptor beta chain). It associates with
	the V-chain (CD51) to form vitronectin receptor, or with the IIb-chain (CD41) to form the
	Gpllb/Gpllla complex (CD41/CD61). The CD41/CD61 complex appears early in megakaryocyte
	maturation. The activated CD41/CD61 complex is a receptor for von Willebrand factor, soluble
	fibrinogen, fibronectin, vitronectin and thrombospondin. It plays a central role in platelet
	activation and aggregation. The CD51/CD61 is implicated in tumor metastasis and adenoviral
	infection. The antibody detects platelets in smears of blood and bone marrow, as well as

Recombinant human ITGB3 protein fragment (aa 385-490) (exact sequence is proprietary)


Product Details

1 Toduct Details	
	megakaryocytes in frozen sections and cell smears. The antibody is useful for classification of
	megakaryoblastic leukemia.
Purification:	Purified by Protein A/G
Target Details	
Target:	Integrin beta 3 (ITGB3)
Alternative Name:	ITGB3 (ITGB3 Products)
Molecular Weight:	105kDa & 90kDa
Gene ID:	3690
UniProt:	P05106
Pathways:	Regulation of G-Protein Coupled Receptor Protein Signaling, Signaling Events mediated by VEGFR1 and VEGFR2, Smooth Muscle Cell Migration, Integrin Complex
Application Details	
Application Notes:	Positive Control: Human spleen tissue (IHC). Known Application: Immunohistochemistry (Formalin-fixed) (1-2 µg/mL for 30 minutes at RT),(Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM Tris with 1 mM EDTA, pH 9.0, for 10-20 min followed by cooling at RT for 20 minutes), Optimal dilution for a specific application should be determined.
Restrictions:	For Research Use only
Handling	
Concentration:	200 μg/mL
Buffer:	10 mM PBS with 0.05 % BSA & 0.05 % azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-80 °C
Storage Comment:	Antibody with azide - store at 2 to 8°C. Antibody without azide - store at -20 to -80°C. Antibody is stable for 24 months. Non-hazardous. No MSDS required.

Expiry Date:


24 months

Images



SDS-PAGE

Image 1. SDS-PAGE Analysis Purified CD61 Recombinant Mouse Monoclonal Antibody (rITGB3/2145). Confirmation of Purity and Integrity of Antibody.



Immunohistochemistry

Image 2. Formalin-fixed, paraffin-embedded human spleen stained with CD61 Recombinant Mouse Monoclonal Antibody (rITGB3/2145).