

Datasheet for ABIN6939849

anti-KIT antibody





Go to Product page

Overview

Quantity:	100 μg
Target:	KIT
Reactivity:	Human
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This KIT antibody is un-conjugated
Application:	ELISA, Coating (Coat)

Product Details

Immunogen:	Recombinant full-length human KIT protein
Clone:	KIT-2670
Isotype:	IgG
Specificity:	This MAb recognizes a protein of 145 kDa, identified as CD117/p145kit. It is found on a wide
	variety of tumor cells including follicular and papillary carcinoma of thyroid, adenocarcinomas
	from endometrium, lung, ovary, pancreas, and breast as well as malignant melanoma,
	endodermal sinus tumor, and small cell carcinoma. However, anti-CD117 has been particularly
	useful in differentiating gastrointestinal stromal tumors from Kaposi's sarcoma, tumors of
	smooth muscle origin, fibromatosis, and neural tumors of the GI tract. Anti-CD117 is also useful
	in recognizing myeloblasts in bone marrow biopsy and clot section.
Purification:	Purified by Protein A/G

Target Details

Target:	KIT
Alternative Name:	KIT (KIT Products)
Molecular Weight:	~145kDa
Gene ID:	3815
UniProt:	P10721
Pathways:	RTK Signaling, Fc-epsilon Receptor Signaling Pathway, EGFR Signaling Pathway, Neurotrophin Signaling Pathway, Sensory Perception of Sound, Stem Cell Maintenance, Production of Molecular Mediator of Immune Response, Regulation of long-term Neuronal Synaptic Plasticity


Positive Control: Gastrointestinal Stromal Tumor (GIST) or testicular germ cell tumor.

Melanocytes in the basal layer of the epidermis and mast cells in the dermis of normal skin.

Application Details


Application Notes:

	Known Application: ELISA (For coating, order antibody without BSA), Optimal dilution for a specific application should be determined.
Restrictions:	For Research Use only
Handling	
Concentration:	200 μg/mL
Buffer:	10 mM PBS with 0.05 % BSA & 0.05 % azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-80 °C
Storage Comment:	Antibody with azide - store at 2 to 8°C. Antibody without azide - store at -20 to -80°C. Antibody is stable for 24 months. Non-hazardous. No MSDS required.
Expiry Date:	24 months



SDS-PAGE

Image 1. SDS-PAGE Analysis Purified CD117 Mouse Monoclonal Antibody (KIT/2670). Confirmation of Purity and Integrity of Antibody.



Protein Array

Image 2. Analysis of Protein Array containing more than 19,000 full-length human proteins using CD117 Mouse Monoclonal Antibody (KIT/2670). Z- and S- Score: The Zscore represents the strength of a signal that a monoclonal antibody (MAb) (in combination with a fluorescently-tagged anti-IgG secondary antibody) produces when binding to a particular protein on the HuProtTM array. Z-scores are described in units of standard deviations (SD's) above the mean value of all signals generated on that array. If targets on HuProtTM are arranged in descending order of the Zscore, the S-score is the difference (also in units of SD's) between the Z-score. S-score therefore represents the relative target specificity of a MAb to its intended target. A MAb is considered to specific to its intended target, if the MAb has an S-score of at least 2.5. For example, if a MAb binds to protein X with a Z-score of 43 and to protein Y with a Z-score of 14, then the S-score for the binding of that MAb to protein X is equal to 29.