.-online.com antibodies

Datasheet for ABIN6939947 anti-Cytokeratin 19 antibody

10 Images



Overview

Quantity:	100 µg
Target:	Cytokeratin 19 (KRT19)
Reactivity:	Human, Mouse, Rat
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This Cytokeratin 19 antibody is un-conjugated
Application:	Immunohistochemistry (IHC), Immunofluorescence (IF), Flow Cytometry (FACS), Staining Methods (StM)

Product Details

Immunogen:	Recombinant full-length human KRT19 protein.
Clone:	KRT19-800
Isotype:	IgG1 kappa
Specificity:	Recognizes a protein of 40 kDa, identified as cytokeratin-19 (CK19), which is expressed in sweat gland, mammary gland ductal and secretory cells, bile ducts, gastrointestinal tract, bladder urothelium, oral epithelia, esophagus, and ectocervical epithelium. Anti-CK19 reacts with a wide variety of epithelial malignancies including adenocarcinomas of the colon, stomach, pancreas, biliary tract, liver, and breast. Perhaps the most useful application is the identification of thyroid carcinoma of the papillary type, although 50 % -60 % of follicular carcinomas are also labeled. Anti-CK19 is a useful marker for detection of tumor cells in lymph nodes, peripheral
	blood, bone marrow and breast cancer.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN6939947 | 09/10/2023 | Copyright antibodies-online. All rights reserved.

Product Details

Purification:

Purified by Protein A/G

Target Details

Target:	Cytokeratin 19 (KRT19)
Alternative Name:	KRT19 (KRT19 Products)
Molecular Weight:	40kDa
Gene ID:	3880
UniProt:	P08727


Application Details

Application Notes:	Positive Control: MCF-7, HeLa cells, Breast Cancer.
	Known Application: Flow Cytometry (0.5-1 µg/million cells), Immunofluorescence (1-2 µg/mL),
	Immunohistochemistry (Formalin-fixed) (0.5-1 μ g/mL for 30 min at RT)(Staining of formalin-
	fixed tissues requires boiling tissue sections in 10 mM Citrate Buffer, pH 6.0, for 10-20 min
	followed by cooling at RT for 20 minutes)Optimal dilution for a specific application should be
	determined.
Restrictions:	For Research Use only

Handling

Concentration:	200 µg/mL
Buffer:	10 mM PBS with 0.05 % BSA & 0.05 % azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-80 °C
Storage Comment:	Antibody with azide - store at 2 to 8°C. Antibody without azide - store at -20 to -80°C. Antibody is stable for 24 months. Non-hazardous. No MSDS required.
Expiry Date:	24 months

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN6939947 | 09/10/2023 | Copyright antibodies-online. All rights reserved.




Western Blotting

Image 1. Western Blot Analysis of human lung lysate using Cytokeratin 19 Mouse Monoclonal Antibody (KRT19/800).

Immunohistochemistry

Image 2. Formalin-fixed, paraffin-embedded human Bladder Carcinoma stained with Cytokeratin 19 Mouse Monoclonal Antibody (KRT19/800).



Immunohistochemistry

Image 3. Formalin-fixed, paraffin-embedded human Cervical Carcinoma stained with Cytokeratin 19 Mouse Monoclonal Antibody (KRT19/800).

Please check the product details page for more images. Overall 10 images are available for ABIN6939947.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN6939947 | 09/10/2023 | Copyright antibodies-online. All rights reserved.