

Datasheet for ABIN6939950

Recombinant anti-Cytokeratin 19 antibody





Overview

Quantity:	100 μg
Target:	Cytokeratin 19 (KRT19)
Reactivity:	Human, Mouse, Rat
Host:	Mouse
Antibody Type:	Recombinant Antibody
Clonality:	Monoclonal
Conjugate:	This Cytokeratin 19 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Staining Methods (StM)
Product Details	
Immunogen:	Recombinant full-length human KRT19 protein
Clone:	RKRT19-800
Isotype:	IgG1 kappa
Specificity:	Recognizes a protein of 40 kDa, identified as cytokeratin-19 (CK19), which is expressed in sweat gland, mammary gland ductal and secretory cells, bile ducts, gastrointestinal tract, bladder urothelium, oral epithelia, esophagus, and ectocervical epithelium. Anti-CK19 reacts with a wide variety of epithelial malignancies including adenocarcinomas of the colon, stomach, pancreas, biliary tract, liver, and breast. Perhaps the most useful application is the identification of thyroid carcinoma of the papillary type, although 50 % -60 % of follicular carcinomas are also labeled. Anti-CK19 is a useful marker for detection of tumor cells in lymph nodes, peripheral


blood, bone marrow and breast cancer.

Product Details Purification: Purified by Protein A/G Target Details Cytokeratin 19 (KRT19) Target: Alternative Name KRT19 (KRT19 Products) Molecular Weight: 40kDa Gene ID: 3880 UniProt: P08727 **Application Details** Positive Control: MCF-7, HeLa cells, Breast Cancer. **Application Notes:** Known Application: Western Blot (1-2 μg/mL), Immunohistochemistry (Formalin-fixed) (0.5-1 μ g/mL for 30 min at RT),(Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM Citrate Buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 minutes), Optimal dilution for a specific application should be determined. For Research Use only Restrictions: Handling Concentration: 200 μg/mL Buffer: 10 mM PBS with 0.05 % BSA & 0.05 % azide. Preservative: Sodium azide Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. 4 °C,-80 °C Storage: Storage Comment: Antibody with azide - store at 2 to 8°C. Antibody without azide - store at -20 to -80°C. Antibody

is stable for 24 months. Non-hazardous. No MSDS required.


24 months

Expiry Date:




Western Blotting

Image 1. Western Blot Analysis of human lung lysate usingCK19 Mouse Recombinant Monoclonal Antibody(rKRT19/800).



Immunohistochemistry

Image 2. Formalin-fixed, paraffin-embedded human Colon Carcinoma stained with CK19 Mouse Recombinant Monoclonal Antibody (rKRT19/800).



SDS-PAGE

Image 3. SDS-PAGE Analysis Purified CK19 MouseRecombinant Monoclonal Antibody (rKRT19/800).Confirmation of Integrity and Purity of Antibody.

Please check the product details page for more images. Overall 4 images are available for ABIN6939950.