

Datasheet for ABIN6940185

Recombinant anti-NEFH antibody**4** Images[Go to Product page](#)

Overview

Quantity:	100 µg
Target:	NEFH
Reactivity:	Human, Rat, Mouse, Chicken, Pig
Host:	Mouse
Antibody Type:	Recombinant Antibody
Clonality:	Monoclonal
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Flow Cytometry (FACS), Staining Methods (StM)

Product Details

Immunogen:	Recombinant full-length human NEFH protein
Clone:	RNF421
Isotype:	IgG1 kappa
Specificity:	<p>This MAb reacts with a 200 kDa protein, identified as heavy sub-unit of neurofilaments (NF-H). Neurofilaments make up the main structural elements of axons and dendrites and are found in neurons, peripheral nerves, and sympathetic ganglion cells. Neurofilaments consist of three major subunits with molecular weights of 68 kDa (NF-L), 160 kDa (NF-M) and 200 kDa (NF-H). Anti-neurofilament stains a number of neural, neuroendocrine, and endocrine tumors.</p> <p>Neuromas, ganglioneuromas, gangliogliomas, ganglioneuroblastomas, and neuroblastomas stain positively for anti-neurofilament. Neurofilaments are also present in paragangliomas as well as adrenal and extra-adrenal pheochromocytomas. Carcinoids, neuroendocrine carcinomas of the skin, and oat cell carcinomas of the lung also express neurofilament.</p>

Product Details

Purification: Purified by Protein A/G

Target Details

Target: NEFH

Alternative Name: NEFH ([NEFH Products](#))

Molecular Weight: 200kDa

Gene ID: 4744

UniProt: [P12036](#)

Application Details

Application Notes: Positive Control: HEK293 cells, Brain, Neuroblastoma.
Known Application: Western Blot (1-2 µg/mL), Flow Cytometry (0.5-1 µg/million cells), Immunohistochemistry (Formalin-fixed) (0.5-1.0 µg/mL for 30 minutes at RT)(Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 minutes)Optimal dilution for a specific application should be determined.

Restrictions: For Research Use only

Handling

Concentration: 200 µg/mL

Buffer: 10 mM PBS with 0.05 % BSA & 0.05 % azide.


Preservative: Sodium azide

Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: 4 °C, -80 °C

Storage Comment: Antibody with azide - store at 2 to 8°C. Antibody without azide - store at -20 to -80°C. Antibody is stable for 24 months. Non-hazardous. No MSDS required.

Expiry Date: 24 months




Western Blotting

Image 1. Western Blot Analysis of human brain tissue lysate using Neurofilament Mouse Recombinant Monoclonal Antibody (rNF421).

Flow Cytometry

Image 2. Flow Cytometric Analysis of HEK293 cells using Neurofilament Mouse Recombinant Monoclonal Antibody (rNF421) followed by goat anti-Mouse IgG-CF488 (Blue); Isotype control (Red).



Immunohistochemistry

Image 3. Formalin-fixed, paraffin-embedded human Brain stained with Neurofilament Mouse Recombinant Monoclonal Antibody (rNF421).

Please check the [product details page](#) for more images. Overall 4 images are available for ABIN6940185.