

# Datasheet for ABIN6940345

# Recombinant anti-POMC antibody (AA 25-39)





### Overview

Quantity:	100 μg
Target:	POMC
Binding Specificity:	AA 25-39
Reactivity:	Human
Host:	Rabbit
Antibody Type:	Recombinant Antibody
Clonality:	Monoclonal
Conjugate:	This POMC antibody is un-conjugated
Application:	ELISA, Coating (Coat)

#### **Product Details**


Immunogen:	Synthetic peptide corresponding to aa25-39 of human ACTH (NGAEDESAEAFPLEF)
Clone:	CLIP-2859R
Isotype:	IgG
Specificity:	ACTH (same as Corticotropin) is a 39 amino acid active peptide produced by the anterior pituitary. This MAb is specific to CLIP (aa25-39 of ACTH), does not react with Synacthen (aa1-24 of ACTH). POMC (pro-opiomelanocortin or corticotropin-lipotropin) is a 267 amino acid polypeptide hormone precursor that goes through extensive, tissue-specific posttranslational processing by convertases. POMC is cleaved into ten hormone chains named NPP, ACTH, alpha-MSH (Melanocyte Stimulating Hormone), beta-MSH, gamma-MSH, CLIP (corticotropin-like intermediary peptide), Lipotropin-beta, Lipotropin-gamma, beta-endorphin and Met-
	me intermediary peptides, Especiophi beta, Especiophi garrina, beta endorphir and inter

	enkephalin. ACTH is also produced by cells of immune system (T-cells, B-cells, and macrophages) in response to stimuli associated with stress. Anti-ACTH is a useful marker in classification of pituitary tumors and the study of pituitary disease. It reacts with ACTH-
	producing cells (corticotrophs). It also may react with other tumors (e.g. some small cell carcinomas of the lung) causing paraneoplastic syndromes by secreting ACTH.
Purification:	Purified by Protein A/G
Target Details	
Target:	POMC
Alternative Name:	POMC (POMC Products)
Molecular Weight:	ACTH is ~5kDa, and the POMC precursor is ~30kDa. The molecular weight of POMC depends upon isoform variation and post-translational modifications.
Gene ID:	5443
UniProt:	P01189
Pathways:	Metabolism of Steroid Hormones and Vitamin D, Peptide Hormone Metabolism, Hormone Activity, Feeding Behaviour
Application Details	
Application Notes:	Positive Control: Normal pituitary gland or pituitary tumor.
	Known Application: ELISA (For coating, order Ab without BSA), Optimal dilution for a specific application should be determined.
Restrictions:	For Research Use only
Handling	
Concentration:	200 μg/mL
Buffer:	10 mM PBS with 0.05 % BSA & 0.05 % azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-80 °C

# Handling

Storage Comment:	Antibody with azide - store at 2 to 8°C. Antibody without azide - store at -20 to -80°C. Antibody is stable for 24 months. Non-hazardous. No MSDS required.
Expiry Date:	24 months

#### **Images**



## **SDS-PAGE**

Image 1. SDS-PAGE Analysis Purified ACTH Rabbit Recombinant Monoclonal Antibody (CLIP/2859R).
Confirmation of Purity and Integrity of Antibody.