

Datasheet for ABIN6940380

anti-PPP3CA antibody



Overview

Quantity:	100 μg
Target:	PPP3CA
Reactivity:	Human
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This PPP3CA antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Coating (Coat)

Product Details

Immunogen:	Recombinant full-length Calcineurin A protein
Clone:	BF1-1
Isotype:	IgG1 kappa
Purification:	Purified by Protein A/G

Target Details

Target:	PPP3CA
Alternative Name:	PPP3CA (PPP3CA Products)
Background:	Calcineurin is an enzyme that dephosphorylates serine and threonine residues in proteins. It is a
	heterodimer of a 59 kDa catalytic A subunit and a 19 kDa regulatory B subunit that is activated
	by the binding of calcium ions and calmodulin. Calcineurin is expressed in many tissues, but its
	levels are highest in the brain, where it may play a role in learning and memory. It has many

raiget betails	
	substrates, including NFAT, a transcription factor that is activated by dephosphorylation. Complexes of the immuno-suppressants cyclosporine and FK506 with immunophilin proteins such as cyclophilin and FKBP12 are potent and specific inhibitors of Calcineurin activity. Alterations in Calcineurin activity are suspected to play a role in cardiac hypertrophy and graft versus host disease in organ transplantation.
Molecular Weight:	62kDa
Gene ID:	5530
UniProt:	Q08209
Pathways:	RTK Signaling, WNT Signaling, Fc-epsilon Receptor Signaling Pathway, Negative Regulation of Hormone Secretion, Carbohydrate Homeostasis, Synaptic Membrane, Skeletal Muscle Fiber Development, Protein targeting to Nucleus, VEGF Signaling, BCR Signaling
Application Details	
Application Notes:	Positive Control: HeLa, MCF-7 or A431 cells. Prostate, Thyroid or Pancreas. Known Application: ELISA (For coating, order antibody without BSA), Western Blot (1-2 µ g/mL)Optimal dilution for a specific application should be determined.
Restrictions:	For Research Use only
Handling	
Concentration:	200 μg/mL
Buffer:	10 mM PBS with 0.05 % BSA & 0.05 % azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-80 °C
Storage Comment:	Antibody with azide - store at 2 to 8°C. Antibody without azide - store at -20 to -80°C. Antibody is stable for 24 months. Non-hazardous. No MSDS required.
Expiry Date:	24 months