# .-online.com antibodies

Datasheet for ABIN6940575 anti-VISTA antibody

4 Images



#### Overview

Quantity:	100 µg
Target:	VISTA
Reactivity:	Human
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This VISTA antibody is un-conjugated
Application:	ELISA, Immunohistochemistry (IHC), Coating (Coat), Staining Methods (StM)

## Product Details

Immunogen:	Recombinant full-length human VISTA protein
Clone:	VISTA-3007
Isotype:	IgG2b kappa
Purification:	Purified by Protein A/G


### Target Details

Target:	VISTA
Alternative Name:	VSIR (VISTA Products)
Background:	VISTA / GI24 is a transmembrane protein expressed in bone, on embryonic stem cells (ESCs), and on tumor cell surfaces. On ESC s, Gi24 appears to positively interact with BMP-4, potentiating BMP signaling and the transition from an undifferentiated to a differentiated state.
	On tumor cells, Gi24 both promotes MT1-MMP expression and activity and serves as a

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/4 | Product datasheet for ABIN6940575 | 09/10/2023 | Copyright antibodies-online. All rights reserved.

	substrate for MT1-MMP. This increases the potential for cell motility. Mature human Gi24 contains a 162aa extracellular region with one V-type Ig-like domain and a 96aa cytoplasmic domain. Human Gi24 undergoes proteolytic cleavage by MT1-MMP, generating a soluble 30 kDa extracellular fragment plus a 25-30 kDa membrane-bound fragment. VISTA is a negative checkpoint regulator and is expressed on myeloid cells, T-cells and human TILs (tumor infiltrating lymphocytes) on MDSCs (myeloid-derived suppressor cells) in the TME (tumor microenvironment). It is very likely both a ligand and receptor and is a promising target for cancer immunotherapy.
Molecular Weight:	34kDa
Gene ID:	64115
UniProt:	Q9H7M9
Pathways:	Cancer Immune Checkpoints
Application Details	
Application Notes:	Positive Control: Spleen or Placenta. Known Application: ELISA (For coating, order antibody without BSA),Immunohistochemistry (Formalin-fixed) (1-2 µg/mL for 30 minutes at RT),(Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM Tris with 1 mM EDTA, pH 9.0, for 10-20 min followed by cooling at RT for 20 minutes),Optimal dilution for a specific application should be determined.
Restrictions:	For Research Use only
Handling	
Concentration:	200 µg/mL
Buffer:	10 mM PBS with 0.05 % BSA & 0.05 % azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-80 °C
Storage Comment:	Antibody with azide - store at 2 to 8°C. Antibody without azide - store at -20 to -80°C. Antibody is stable for 24 months. Non-hazardous. No MSDS required.
Expiry Date:	24 months

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/4 | Product datasheet for ABIN6940575 | 09/10/2023 | Copyright antibodies-online. All rights reserved.




#### SDS-PAGE

**Image 1.** SDS-PAGE Analysis Purified VISTA Monospecific Mouse Monoclonal Antibody (VISTA/3007). Confirmation of Integrity and Purity of Antibody.


#### **Protein Array**

Image 2. Analysis of Protein Array containing more than 19,000 full-length human proteins using VISTA Monospecific Mouse Monoclonal Antibody (VISTA/3007). Zand S- Score: The Z-score represents the strength of a signal that a monoclonal antibody (MAb) (in combination with a fluorescently-tagged anti-IgG secondary antibody) produces when binding to a particular protein on the HuProtTM array. Z-scores are described in units of standard deviations (SDs) above the mean value of all signals generated on that array. If targets on HuProtTM are arranged in descending order of the Z-score, the S-score is the difference (also in units of SDs) between the Z-score. Sscore therefore represents the relative target specificity of a MAb to its intended target. A MAb is considered to specific to its intended target, if the MAb has an S-score of at least 2.5. For example, if a MAb binds to protein X with a Z-score of 43 and to protein Y with a Z-score of 14, then the S-score for the binding of that MAb to protein X is equal to 29.



Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/4 | Product datasheet for ABIN6940575 | 09/10/2023 | Copyright antibodies-online. All rights reserved.

#### Images



#### Immunohistochemistry

**Image 3.** Formalin-fixed, paraffin-embedded human Placenta stained with VISTA Monospecific Mouse Monoclonal Antibody (VISTA/3007).

Please check the product details page for more images. Overall 4 images are available for ABIN6940575.