antibodies.com

Datasheet for ABIN6940624 anti-SOX10 antibody (AA 115-269)

4 Images



Overview

Quantity:	100 µg
Target:	SOX10
Binding Specificity:	AA 115-269
Reactivity:	Human
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This SOX10 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Coating (Coat)

Product Details

Immunogen:	Recombinant human SOX10 protein fragment (aa115-269)
Clone:	SOX10-992
lsotype:	lgG1 kappa
Specificity:	The specificity of this monoclonal antibody to its intended target was validated by HuProtTM
	Array, containing more than 19,000, full-length human proteins. Recognizes a protein of
	\sim 55 kDa, identified as SOX10. This MAb is highly specific and does not cross-react with other
	members of the SOX-family. SOX genes comprise a family of genes that are related to the
	mammalian sex-determining gene SRY. These genes similarly contain sequences that encode
	for the HMG-box domain, which is responsible for the sequence-specific DNA-binding activity.
	SOX-10 is a sensitive marker of melanoma, including conventional, spindled, and desmoplastic
	subtypes. It is expressed by metastatic melanomas and nodal capsular nevus in sentinel lymph

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/4 | Product datasheet for ABIN6940624 | 09/10/2023 | Copyright antibodies-online. All rights reserved.

Product Details

nodes, but not by other lymph node components such as dendritic cells, which usually express
S100 protein. Commonly used melanoma markers, such as anti-HMB-45 and anti-Melan-A, are
poorly expressed in desmoplastic melanomas while SOX-10 is moderately to strongly
expressed in desmoplastic melanomas. SOX-10 is considered as a very reliable marker for
recognizing residual desmoplastic melanomas. In normal tissues, it is expressed in Schwann
cells, melanocytes, and myoepithelial cells of salivary, bronchial and mammary glands. SOX-10
expression is also observed in mast cells.

Purification: Purified by Protein A/G

Target Details

Target:	SOX10
Alternative Name:	SOX10 (SOX10 Products)
Molecular Weight:	49-58kDa
Gene ID:	6663
UniProt:	P56693
Pathways:	Chromatin Binding

Application Details

Application Notes:	Positive Control: HepG2 cells. Melanomas, breast carcinomas, gliomas.
	Known Application: ELISA (For coating, purchase antibody without BSA), Western Blot (0.5-1.0 μ
	g/mL)Optimal dilution for a specific application should be determined.
Restrictions:	For Research Use only

Handling

Concentration:	200 μg/mL
Buffer:	10 mM PBS with 0.05 % BSA & 0.05 % azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-80 °C

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/4 | Product datasheet for ABIN6940624 | 09/10/2023 | Copyright antibodies-online. All rights reserved.

Handling


Storage Comment:

Antibody with azide - store at 2 to 8°C. Antibody without azide - store at -20 to -80°C. Antibody is stable for 24 months. Non-hazardous. No MSDS required.

Expiry Date:


24 months

Images




Western Blotting

Image 1. Western blot analysis of COLO-38 cell lysate using SOX10 Mouse Monoclonal Antibody (SOX10/992).



Protein Array

Image 2. Analysis of Protein Array containing more than 19,000 full-length human proteins using SOX10 Mouse Monoclonal Antibody (SOX10/992). Z- and S- Score: The Zscore represents the strength of a signal that a monoclonal antibody (Monoclonal Antibody) (in combination with a fluorescently-tagged anti-IgG secondary antibody) produces when binding to a particular protein on the HuProtTM array. Z-scores are described in units of standard deviations (SD's) above the mean value of all signals generated on that array. If targets on HuProtTM are arranged in descending order of the Z-score, the S-score is the difference (also in units of SD's) between the Z-score. S-score therefore represents the relative target specificity of a Monoclonal Antibody to its intended target. A Monoclonal Antibody is considered to specific to its intended target, if the Monoclonal Antibody has an S-score of at least 2.5. For example, if a Monoclonal Antibody binds to protein X with a Z-score of 43 and to protein Y with a Z-score of 14, then the S-score for the



binding of that Monoclonal Antibody to protein X is equal to 29.

SDS-PAGE

Image 3. SDS-PAGE Analysis Purified SOX10 Mouse Monoclonal Antibody (SOX10/992). Confirmation of Integrity and Purity of Antibody.

Please check the product details page for more images. Overall 4 images are available for ABIN6940624.