antibodies

# Datasheet for ABIN6940738 Recombinant anti-TIMP2 antibody (N-Term)

2 Images



Overview

Quantity:	100 µg
Target:	TIMP2
Binding Specificity:	AA 56-66, N-Term
Reactivity:	Human, Rat, Mouse, Zebrafish (Danio rerio), Cow, Rabbit, Guinea Pig
Host:	Mouse
Antibody Type:	Recombinant Antibody
Clonality:	Monoclonal
Conjugate:	This TIMP2 antibody is un-conjugated
Application:	Immunohistochemistry (IHC), Staining Methods (StM)
Product Details	
Immunogen:	A synthetic peptide from the N-terminus of human TIMP2 protein (aa56-66) (DSGNDIYGNPI)
Clone:	RTIMP2-2335
lsotype:	IgG1 kappa
Specificity:	It recognizes a protein of 21 kDa, identified as tissue inhibitor of metalloproteinases-2 (TIMP-2) It is closely related to TIMP-1 and shows the highest binding affinity to both the latent (pro) and active forms of 72 kDa Type IV collagenase (also known as MMP-2 or gelatinase A). It also has affinity for the active form of 92 kDa Type IV collagenase (also known as MMP-9 or gelatinase B). TIMP-2 inhibits the proteolytic invasiveness of tumor cells and normal placental trophoblast cells.
Purification:	Purified by Protein A/G

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN6940738 | 01/15/2024 | Copyright antibodies-online. All rights reserved.

## Target Details

Target:	TIMP2
Alternative Name:	TIMP2 (TIMP2 Products)
Molecular Weight:	21kDa
Gene ID:	7077
UniProt:	P16035
Pathways:	cAMP Metabolic Process

## Application Details

5	
	specific application should be determined.
	buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 minutes)Optimal dilution for a
	RT)(Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate
	Known Application: Immunohistochemistry (Formalin-fixed) (1-2 $\mu$ g/mL for 30 minutes at
	Carcinoma.
Application Notes:	Positive Control: HeLa cells. Normal Placenta. Breast, Colon, Endometrial, Prostate or Ovarian


Restrictions:

For Research Use only

# Handling


Concentration:	200 µg/mL
Buffer:	10 mM PBS with 0.05 % BSA & 0.05 % azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-80 °C
Storage Comment:	Antibody with azide - store at 2 to 8°C. Antibody without azide - store at -20 to -80°C. Antibody is stable for 24 months. Non-hazardous. No MSDS required.
Expiry Date:	24 months

#### Images



### SDS-PAGE

Image 1.SDS-PAGEAnalysisPurifiedTIMP2MouseRecombinantMonoclonalAntibody(rTIMP2/2335).Confirmation of Purity and Integrity of Antibody.



#### Immunohistochemistry

**Image 2.** Formalin-fixed, paraffin-embedded human Placenta stained with TIMP2 Mouse Recombinant Monoclonal Antibody (rTIMP2/2335).

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN6940738 | 01/15/2024 | Copyright antibodies-online. All rights reserved.