

Datasheet for ABIN6940812  
**anti-TSH receptor antibody**

## 2 Images

[Go to Product page](#)

## Overview

Quantity:	100 µg
Target:	TSH receptor (TSHR)
Reactivity:	Human
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This TSH receptor antibody is un-conjugated
Application:	ELISA, Immunohistochemistry (IHC), Staining Methods (StM), Coating (Coat)

## Product Details

Immunogen:	Recombinant human TSHR, A-Chain protein
Clone:	TSHRA-1402
Isotype:	IgG1 kappa
Purification:	Purified by Protein A/G

## Target Details

Target:	TSH receptor (TSHR)
Alternative Name:	TSHR ( <a href="#">TSHR Products</a> )
Background:	Thyroid-stimulating hormone (TSH, also known as thyrotropin) is a glycoprotein involved in the control of thyroid structure and metabolism, which stimulates the release of the thyroid hormones. TSH is regulated by thyroid hormone (T3) and various retinoid compounds. TSH binds to the thyroid-stimulating hormone receptor (TSHR), which is cleaved into two subunits, A

## Target Details

and B, and plays a major role in regulating thyroid function. The third cytoplasmic loop of TSHR has been identified as critical for its role in regulating inositol phosphate and cAMP formation. In Graves disease, an autoimmune disorder, TSHR is activated by autoantibodies, which may be stimulated by the cleavage of the A and B subunits.

Molecular Weight: 62kDa

Gene ID: 7253

UniProt: [P16473](#)

Pathways: [Thyroid Hormone Synthesis](#)

## Application Details

Application Notes: Positive Control: 293T cells. Thyroid gland.  
Known Application: ELISA (Use Ab at 2-4 µg/mL for coating) (Order Ab without BSA), Immunohistochemistry (Formalin-fixed) (1-2 µg/mL for 30 minutes at RT)(Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM Tris with 1 mM EDTA, pH 9.0 for 10-20 min followed by cooling at RT for 20 minutes),Optimal dilution for a specific application should be determined.

Restrictions: For Research Use only

## Handling

Concentration: 200 µg/mL

Buffer: 10 mM PBS with 0.05 % BSA & 0.05 % azide.


Preservative: Sodium azide

Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: 4 °C, -80 °C


Storage Comment: Antibody with azide - store at 2 to 8°C. Antibody without azide - store at -20 to -80°C. Antibody is stable for 24 months. Non-hazardous. No MSDS required.

Expiry Date: 24 months



### SDS-PAGE

**Image 1.** SDS-PAGE Analysis Purified TSH-Receptor, A-Chain Mouse Monoclonal Antibody (TSHRA/1402). Confirmation of Purity and Integrity of Antibody.



### Immunohistochemistry

**Image 2.** Formalin-fixed, paraffin-embedded human Thyroid Carcinoma stained with TSHRA Mouse Monoclonal Antibody (TSHRA/1402).