# antibodies -online.com





## Recombinant anti-CD1a antibody

4 Images



#### Overview

Quantity:	100 μg
Target:	CD1a
Reactivity:	Human
Host:	Mouse
Antibody Type:	Recombinant Antibody
Clonality:	Monoclonal
Conjugate:	This CD1a antibody is un-conjugated
Application:	Immunohistochemistry (IHC), Staining Methods (StM)

## **Product Details**

Immunogen:	Recombinant full-length human CD1a protein
Clone:	RC1A-711
Isotype:	IgG1 kappa
Purification:	Purified by Protein A/G

## Target Details

Target:	CD1a
Alternative Name:	CD1A (CD1a Products)
Background:	At least five CD1 genes (CD1a, b, c, d, and e) are identified. CD1 proteins have been demonstrated to restrict T cell response to non-peptide lipid and glycolipid antigens and play a

role in non-classical antigen presentation. CD1a is a non-polymorphic MHC Class 1 related cell
surface glycoprotein, expressed in association with Beta-2 microglobulin. Anti-CD1a labels
Langerhans cell histiocytosis (Histiocytosis X), extranodal histiocytic sarcoma, a subset of T-
lymphoblastic lymphoma/leukemia, and interdigitating dendritic cell sarcoma of the lymph
node. When combined with antibodies against TTF-1 and CD5, anti-CD1a is useful in
distinguishing between pulmonary and thymic neoplasms since CD1a is consistently expressed
in thymic lymphocytes in both typical and atypical thymomas, but only focally in 1/6 of thymic
carcinomas and not in lymphocytes in pulmonary neoplasms. Anti-CD1a is reported to be a
new marker for perivascular epithelial cell tumor (PEComa).

Molecular Weight:	49kDa
Gene ID:	909
UniProt:	P06126
Pathways:	Regulation of Leukocyte Mediated Immunity, Positive Regulation of Immune Effector Process

## **Application Details**

Application Notes:	Positive Control: MOLT-4 cells. Paracortex in a tonsil or a reactive lymph node.
	Known Application: Immunohistochemistry (Formalin-fixed) (0.5-1 $\mu$ g/mL for 30 min at
	RT)(Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM Citrate
	Buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 minutes)Optimal dilution for a
	specific application should be determined.

Restrictions: For Research Use only


## Handling

Concentration:	200 μg/mL
Buffer:	10 mM PBS with 0.05 % BSA & 0.05 % azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-80 °C
Storage Comment:	Antibody with azide - store at 2 to 8°C. Antibody without azide - store at -20 to -80°C. Antibody is stable for 24 months. Non-hazardous. No MSDS required.

**Expiry Date:** 


24 months

### **Images**




#### **SDS-PAGE**

Image 1. SDS-PAGE Analysis Purified CD1a MouseRecombinant Monoclonal Antibody (rC1A/711).Confirmation of Purity and Integrity of Antibody.



#### **Protein Array**

Image 2. Analysis of Protein Array containing more than 19,000 full-length human proteins using CD1a-Monospecific Recombinant Mouse Monoclonal Antibody (rC1A/711) Zand S- Score: The Z-score represents the strength of a signal that a monoclonal antibody (MAb) (in combination with a fluorescently-tagged anti-IgG secondary antibody) produces when binding to a particular protein on the HuProtTM array. Z-scores are described in units of standard deviations (SD's) above the mean value of all signals generated on that array. If targets on HuProtTM are arranged in descending order of the Z-score, the S-score is the difference (also in units of SD's) between the Z-score. Sscore therefore represents the relative target specificity of a MAb to its intended target. A MAb is considered to specific to its intended target, if the MAb has an S-score of at least 2.5. For example, if a MAb binds to protein X with a Z-score of 43 and to protein Y with a Z-score of 14, then the S-score for the binding of that MAb to protein X is equal to 29.



## **Immunohistochemistry**

**Image 3.** Formalin-fixed, paraffin-embedded human Skin stained with CD1a Mouse Recombinant Monoclonal Antibody (rC1A/711).

Please check the product details page for more images. Overall 4 images are available for ABIN6941002.