antibodies .- online.com







anti-CD2 antibody





Overview

Quantity:	100 μg
Target:	CD2
Reactivity:	Human
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This CD2 antibody is un-conjugated
Application:	Flow Cytometry (FACS), Immunofluorescence (IF), Western Blotting (WB), Functional Studies (Func)

Product Details

Immunogen:	Human Thymocytes/Sezary T cells
Clone:	1E7E8-G4
Isotype:	IgG2a kappa
Purification:	Purified by Protein A/G

Target Details

Target:	CD2
Alternative Name:	CD2 (CD2 Products)
Background:	CD2 interacts through its amino-terminal domain with the extracellular domain of CD58 (also designated CD2 ligand) to mediate cell adhesion. CD2/CD58 binding can enhance antigenspecific T cell activation. CD2 is a transmembrane glycoprotein that is expressed on peripheral

Target Details

blood T lymphocytes, NK cells and thymocytes. CD58 is a heavily glycosylated protein	with a
broad tissue distribution in hematopoietic and other cells, including endothelium. Intera	action
between CD2 and its counter receptor LFA3 (CD58) on opposing cells optimizes immu	ne
system recognition, thereby facilitating communication between helper T lymphocytes	and
antigen-presenting cells, as well as between cytolytic effectors and target cells.	

Molecular Weight:	50kDa
Gene ID:	914
UniProt:	P06729

Application Details


Application Notes: Positive Control: MOLT-4, 293T or Jurkat cells. Lymph node and tonsil.

Known Application: Functional Studies (Order Ab without Azide), Flow Cytometry (1-2 μ g/million cells), Immunofluorescence (1-2 μ g/mL), Western Blot (1-2 μ g/mL), Optimal dilution for a specific application should be determined.

Restrictions: For Research Use only


Handling

Concentration:	200 μg/mL
Buffer:	10 mM PBS with 0.05 % BSA & 0.05 % azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-80 °C
Storage Comment:	Antibody with azide - store at 2 to 8°C. Antibody without azide - store at -20 to -80°C. Antibody is stable for 24 months. Non-hazardous. No MSDS required.
Expiry Date:	24 months




Western Blotting

Image 1. Western Blot Analysis of Jurkat cell lysate using CD2 Mouse Monoclonal Antibody (1E7E8.G4).



Flow Cytometry

Image 2. Flow Cytometric Analysis of MOLT4 cells using CD2 Mouse Monoclonal Antibody (1E7E8.G4) followed by goat anti-Mouse IgG-CF488 (Blue); Isotype Control (Red).



Immunofluorescence

Image 3. Immunofluorescence staining of MOLT-4 cells using CD2 Mouse Monoclonal Antibody (1E7E8.G4) followed by goat anti-Mouse IgG conjugated to CF488 (green). Nuclei are stained with Reddot.

Please check the product details page for more images. Overall 4 images are available for ABIN6941011.