

Datasheet for ABIN6941048

**Recombinant anti-Aurora Kinase B antibody (AA 89-251)**[Go to Product page](#)

## 4 Images

## Overview

Quantity:	100 µg
Target:	Aurora Kinase B (AURKB)
Binding Specificity:	AA 89-251
Reactivity:	Human
Host:	Mouse
Antibody Type:	Recombinant Antibody
Clonality:	Monoclonal
Conjugate:	This Aurora Kinase B antibody is un-conjugated
Application:	Immunohistochemistry (IHC), Staining Methods (StM)

## Product Details

Immunogen:	Recombinant fragment (around aa 89-251) of human Aurora B protein (exact sequence is proprietary)
Clone:	RAURKB-1592
Isotype:	IgG1 kappa
Specificity:	Recognizes a protein of 39 kDa, which is identified as Aurora B. The serine/threonine protein kinase aurora B (Aurora B) is a chromosomal passenger protein critical for accurate chromosome segregation, cytokinesis, protein localization to the centromere and kinetochore, correct microtubule-kinetochore attachment, and regulation of the mitotic checkpoint. Aurora B forms a tight complex with inner centrosome protein and survivin. Inactivation of any of these proteins causes similar defects in chromosome segregation. A significant overexpression of

## Product Details

---

Aurora B has been found in a variety of human tumors including non-small cell lung carcinoma, astrocytoma, seminoma and carcinomas of the colon, prostate, endometrium and thyroid. The expression level of Aurora B is associated with cell proliferation and prognosis in these tumors.

Purification: Purified by Protein A/G

## Target Details

---

Target: Aurora Kinase B (AURKB)

Alternative Name: AURKB ([AURKB Products](#))

Molecular Weight: 39kDa

Gene ID: 9212

UniProt: [Q96GD4](#)

Pathways: [TCR Signaling](#), [Cell Division Cycle](#), [Maintenance of Protein Location](#), [Hepatitis C](#), [Toll-Like Receptors Cascades](#)

## Application Details

---

Application Notes: Positive Control: HeLa cells. Tonsil, Placenta, Hodgkin s Lymphoma or Colon Carcinoma.  
Known Application: Immunohistochemistry (Formalin-fixed) (1-2 µg/mL for 30 minutes at RT),(Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM Citrate buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 minutes),Optimal dilution for a specific application should be determined.

Restrictions: For Research Use only

## Handling

---

Concentration: 200 µg/mL

Buffer: 10 mM PBS with 0.05 % BSA & 0.05 % azide.

Preservative: Sodium azide

Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.


Storage: 4 °C,-80 °C

Storage Comment: Antibody with azide - store at 2 to 8°C. Antibody without azide - store at -20 to -80°C. Antibody

is stable for 24 months. Non-hazardous. No MSDS required.


Expiry Date: 24 months

Images




SDS-PAGE

**Image 1.** SDS-PAGE Analysis Purified Aurora B Recombinant Mouse Monoclonal Antibody (rAURKB/1592). Confirmation of Integrity and Purity of Antibody.



Immunohistochemistry

**Image 2.** Formalin-fixed, paraffin-embedded human kidney stained with Aurora B Recombinant Mouse Monoclonal Antibody (rAURKB/1592).



Immunohistochemistry

**Image 3.** Formalin-fixed, paraffin-embedded human kidney stained with Aurora B Recombinant Mouse Monoclonal Antibody (rAURKB/1592).

Please check the [product details page](#) for more images. Overall 4 images are available for ABIN6941048.