antibodies - online.com





Datasheet for ABIN6941086

anti-CD9 antibody





Overview

Quantity:	100 μg
Target:	CD9
Reactivity:	Human
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This CD9 antibody is un-conjugated
Application:	Immunohistochemistry (IHC), Staining Methods (StM), Immunostaining (ISt)

Product Details


Immunogen:	Recombinant full-length human CD9 protein
Clone:	CD9-2343
Isotype:	IgG1 kappa
Purification:	Purified by Protein A/G

Target Details

Target:	CD9
Alternative Name:	CD9 (CD9 Products)
Background:	CD9 is a type IV transmembrane glycoprotein with four transmembrane domains. CD9 on pre-B
	cells may play a role in cell-cell adhesion. In addition, CD9 may play a role in signal transduction
	mediated by interaction with low molecular weight GTP binding proteins. CD9 is expressed on
	early B cells, eosinophils, basophils and activated T cells and is a major component of the


Target Details

l arget Details	
	platelet cell surface. It is also expressed on most non-T acute lymphoblastic leukemia cells and
	on some acute myeloid and chronic lymphoid leukemia.
Molecular Weight:	24kDa
Gene ID:	928
UniProt:	P21926
Pathways:	Response to Water Deprivation, Cell-Cell Junction Organization
Application Details	
Application Notes:	Positive Control: BT-20, HeLa or ZR-75 cells. Cervix or Esophagus.
	Known Application: Immunohistochemistry (Formalin-fixed) (1-2 µg/mL for 30 min at
	RT)(Staining of formalin-fixed tissues is enhanced by boiling tissue sections in 10 mM Tris with
	1 mM EDTA, pH 9.0 for 10-20 min followed by cooling at RT for 20 minutes)Optimal dilution for
	a specific application should be determined.
Restrictions:	For Research Use only
Handling	
Concentration:	200 μg/mL
Buffer:	10 mM PBS with 0.05 % BSA & 0.05 % azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which
	should be handled by trained staff only.
Storage:	4 °C,-80 °C
Storage Comment:	Antibody with azide - store at 2 to 8°C. Antibody without azide - store at -20 to -80°C. Antibody
	is stable for 24 months. Non-hazardous. No MSDS required.
Expiry Date:	24 months




Flow Cytometry

Image 1. Flow cytometry of bead-bound exosomes derived from MCF-7 cells. Unstained exosomes (gray) or stained with CF568-labeled CD9 monoclonal antibody (CD9/2343) (orange).



Immunohistochemistry

Image 2. Formalin-fixed, paraffin-embedded human Basal Cell Carcinoma stained with CD9 Mouse Monoclonal Antibody (CD9/2343).



Immunohistochemistry

Image 3. Formalin-fixed, paraffin-embedded human Cervical Carcinoma stained with CD9 Mouse Monoclonal Antibody (CD9/2343).

Please check the product details page for more images. Overall 6 images are available for ABIN6941086.