antibodies .- online.com





Recombinant anti-MVP antibody

2 Images



Go to Product page

Overview


Quantity:	100 μg
Target:	MVP
Reactivity:	Human
Host:	Rabbit
Antibody Type:	Recombinant Antibody
Clonality:	Monoclonal
Conjugate:	This MVP antibody is un-conjugated
Application:	Immunohistochemistry (IHC), Staining Methods (StM)

Product Details

Immunogen:	Recombinant full-length human MVP protein
Clone:	VP2897R
Isotype:	IgG
Specificity:	Recognizes a protein of 104 kDa-110 kDa, characterized as major vault protein (MVP). Vaults
	are large ribonucleoprotein particles (RNPs) present in all eukaryotic cells. They have a complex
	morphology, including several small molecules of RNA, but a single protein species. The MVP
	accounts for 70 % of their mass. Their shape is reminiscent of the nucleopore central plug.
	Treatment of cells with estradiol increases the amount of MVP in nuclear extract. The
	hormone-dependent interaction of vaults with ER is prevented in vitro by sodium molybdate.
	Antibodies to estrogen, progesterone and glucocorticoid receptors are able to co-
	immunoprecipitate the MVP. MVP is overexpressed in many neoplastic tissues and cell lines.


Product Details

Troduct Details	
	Expression of MVP predicts a poor response to chemotherapy.
Purification:	Purified by Protein A/G
Target Details	
Target:	MVP
Alternative Name:	MVP (MVP Products)
Molecular Weight:	104-110kDa
Gene ID:	9961
UniProt:	Q14764
Application Details	
Application Notes:	Positive Control: MCF-7/HeLa, breast tumors.
	Known Application: Immunohistochemistry (Formalin-fixed) (1-2 µg/mL for 30 minutes at
	RT)(Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM Citrate
	buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 minutes)Optimal dilution for a
	specific application should be determined.
Restrictions:	For Research Use only
Handling	
Concentration:	200 μg/mL
Buffer:	10 mM PBS with 0.05 % BSA & 0.05 % azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which
	should be handled by trained staff only.
Storage:	4 °C,-80 °C
Storage Comment:	Antibody with azide - store at 2 to 8°C. Antibody without azide - store at -20 to -80°C. Antibody
	is stable for 24 months. Non-hazardous. No MSDS required.
Expiry Date:	24 months



SDS-PAGE

Image 1. SDS-PAGE Analysis Major Vault Protein RabbitRecombinant Monoclonal Antibody (VP2897R).Confirmation of Purity and Integrity of Antibody.



Immunohistochemistry

Image 2. Formalin-fixed, paraffin-embedded human Breast Carcinoma stained with Major Vault Protein Rabbit Recombinant Monoclonal Antibody (VP2897R).